

A close-up photograph of a wooden floor featuring a herringbone pattern. The wood has a warm, natural tone with visible grain and some darker staining or knots. The planks are arranged in a V-shape, creating a dynamic geometric pattern.

WOODPECKER

NATURALLY INSPIRED FLOORING

Leaving a Legacy...
...one floor at a time.

2023 | 2024

WHY WOOD?


Wood flooring is a timeless and versatile choice for your home, its natural charm, warmth, and character creates welcoming ambiance that complements any interior style.

High-quality wood floors last a lifetime making them a cost-effective long-term investment. They are also easy to maintain, just needing regular sweeping and occasional mopping to keep them looking pristine.

Unlike carpets, wood flooring doesn't trap dust, allergens, or pet dander, making it a healthier choice in the home. Wood is a comfortable choice for your feet too - cool in the summer, warm in the winter and reassuringly firm under foot.

Last but most definitely not least, responsibly sourced wooden flooring is also a sound environmental choice - wood is a renewable resource, and sustainable harvesting practices ensure minimal impact on our natural world.

Why wood? For style, comfort, resilience and green credentials, nothing beats it.



From generations past and
for generations to come.

From our family to yours...
for 100 years.

Woodpecker

HELPING YOU FIND YOUR PERFECT FLOOR


Whether it's a traditional solid plank, a resilient engineered floor or durable and waterproof wood-design Brecon, we'll make it easy to find the right choice for your room.



20-25

YORK SOLID WOOD


A premium solid wood board in a range of elegant finishes.



28-35

LYNTON ENGINEERED

With a real wood top layer and built-in underlay, this is a truly innovative range.



36-43

SALCOMBE ENGINEERED


A range of distinctive modern shades capturing the light and vitality of the natural world.



44-57

HARLECH ENGINEERED


The timeless elegance of classic oak across a spectrum of striking finishes.



58-79

GOODRICH ENGINEERED


A stunning collection of herringbone and chevron engineered floors.



80-84

HIGHCLERE ENGINEERED

Bigger, bolder herringbone planks for an elegant statement design with a twist.



86-95

CHEPSTOW ENGINEERED


Majestic, thick, traditionally finished engineered boards.



96-109

BERKELEY ENGINEERED


Hand-worked extra rustic Oak and beautifully sleek Walnut.



110-115

DESIGN PANELS ENGINEERED

Our luxurious range of elegant design panels for a statement look.



118-131

BRECON WOOD-DESIGN

Waterproof and durable boards with built-in underlay and realistic deep emboss woodgrain effect.

Contents

WHY WOODPECKER

6 THE WOODPECKER STORY

9 100 YEAR WARRANTY

11 COMMITMENT TO SUSTAINABILITY

12 RANGES & GRADING

14 PROCESSES

16 FINISHES

SOLID WOOD FLOORING

20 YORK

ENGINEERED FLOORING

28 LYNTON

36 SALCOMBE

44 HARLECH

58 GOODRICH

80 HIGHCLERE

86 CHEPSTOW

96 BERKELEY

110 DESIGN PANELS

WOOD-DESIGN FLOORING

118 BRECON

132 A GUIDE TO YOUR NEXT STEPS

ACCESSORIES

134 SUBFLOOR

136 GLUE & UNDERLAYS

138 TRIMS

144 FINISHING TOUCHES

146 CLEANING & CARE

TECHNICAL

151 PREPARATION

152 FIXING

154 RANGE AT A GLANCE

FOR 100 YEARS GONE, AND FOR 100 YEARS TO COME

THE WOODPECKER STORY


The Woodpecker story began in 1973 in a small garage in Bristol. Started by Bruce Ker, the passion for wood and commitment to deliver the absolute best has been handed down through 3 generations to his son Nelson, and grandson Darwyn today.



From humble beginnings...



Nelson and Darwyn



A passion for wood



FROM OUR FAMILY TO YOURS

Today our extended family of 'Woodpeckers' are committed to those same values, genuinely caring and doing whatever it takes to make the difference for you and your family.





YOU CAN WATCH THE
WOODPECKER STORY VIDEO HERE:

woodpeckerflooring.co.uk/the-woodpecker-story/



THE STORY OF OUR FLOORS

It begins long before this. Every Woodpecker floor started its life over 100 years ago, and tells its own story that will stand the test of time in your home.




A family business



100
YEAR
WARRANTY

FOR 100 YEARS

Our promise to you is that your Woodpecker floor will continue its story, bringing life and warmth to your home – guaranteed for 100 years to come.



LEAVING A LEGACY...

Planting the Woodpecker forest of tomorrow and becoming carbon negative by 2030 – this is our commitment to building a better future that generations to come will be proud of.

From 100 years past and for 100 years to come, Woodpecker is with you every step of the way on your journey to find the perfect floor.



For 100 years...

...from our family
to yours for 100 years.





100 YEAR WARRANTY
WOODPECKER

WOODPECKER PROMISE



Peace of mind
for generations to come.

We are proud to bring you a unique
Woodpecker 100 year warranty.

A deep passion and knowledge of wood
means you can be confident that our
wooden floors endure more than a lifetime,
increasing in depth and character over time
as their story becomes a part of your home.

Carefully grown, selected and crafted by
experts, every plank is a reflection of our
commitment to you and your home.

Our promise to you – beautiful floors and
peace of mind, for 100 years.

Please note that our Lynton and Brecon floors continue
to offer a market leading 25 year warranty.

For T&Cs, please visit:
woodpeckerflooring.co.uk/100-year-warranty/



WOODPECKER PROMISE

SERIOUS ABOUT
SUSTAINABILITY

Leaving a legacy,
for generations to come.

As a company with a rich past, benefiting every day from the commitments our ancestors made, nothing is more important to us than the legacy we leave for future generations.



All our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards. Look out for our FSC®-certified products.



We have committed to Woodpecker being the first carbon negative flooring company, fully compliant by 2030.



We are creating the Woodpecker forest of tomorrow, planting 50,000 oak saplings around our home in South Wales.



Our packaging is made of recycled board and is fully recyclable.



We are delivering on pledges to reduce non-renewable energy use and improve team wellbeing.

We are the ancestors of tomorrow; our legacy matters.

CHOOSE WHAT'S PERFECT FOR YOU AND YOUR HOME

FLOORING RANGES AND GRADING


Sometimes it's hard to see the wood from the trees
– let us help you narrow it down.

SOLID

Solid, traditional structure

Each board is precision milled
from a single piece of timber

Robust and characterful




ENGINEERED

Advanced construction for
extra stability and versatility

Engineered core with a
beautiful real wood top layer

Suitable for underfloor heating




WOOD-DESIGN

Waterproof and
incredibly stable

Mineral composite core
plus built-in underlay

Woodgrain effect embossed
vinyl top layer



UNDERSTANDING GRADING

Clean | Character



01

SELECT

This grade looks natural yet consistent, with few knots.

Up to 10% sapwood can be found in select boards along with considerable grain and colour variation, but only small knots.

Select boards can be found in York and Harlech, pages 24 and 57.



02

RUSTIC

More of the wood's character
shines through in rustic floors.

Including large knots, dark streaks, filled knots and colour variation. Again, up to 10% sapwood is likely in this grade.

Harlech Rustic Oak is an example of a beautiful rustic grade, page 50.



03

EXTRA RUSTIC

Very little is graded out in the extra rustic category.

Large knots, splits, cracks and sapwood makes this a characterful choice. Your floor will be all that more distinctive.

Berkeley Cathedral Oak truly encompasses all of the features of an extra rustic floor, page 103.



WHAT THE EXPERTS SAY

COLOUR VARIATION

All Woodpecker floors feature beautiful colour variations which naturally occur in real wood. Due to this authentic effect, please be aware that your floor may include a range of lighter and darker shades, as shown in this picture. More intense colour variations may also be found where sapwood is present in the wood. Sapwood is the younger, outer part of the tree, which is lighter in colour than the retired, inner part called heartwood.



Sapwood



Heartwood

PROCESSES

Real wood brought to life

Our craftsmen are experts at enhancing the character and aesthetics of our handsome wooden boards. From staining and brushing to handscraping and scorching, each step plays a crucial role in creating your uniquely beautiful floor.



STAINED

Staining adds colour and character whilst maintaining the natural tones.



BRUSHED

Brushing subtly highlights texture both to the eye and to the touch.



SMOKED

Intensified colour variation and contrast: smoking makes the dark wood darker and the light wood lighter.

WOODPECKER

LEGACY

HANDSCRAPED

Handscraping creates a rippled look on the surface of the board, an aged look which is smooth to the touch.

DISTRESSED

Small indents and imperfections in the surface of the board create a charming and timeworn appeal. Perfectly imperfect.

PLANING

Planing adds a slightly rough texture which is subtle but stunning.

SAW MARKS

Evoking the feel of freshly sawn timber.

HANDWORKED EDGES

These irregular contours create an antique effect. Each bevel is worked by hand to make it unique.

CHATTER MARKS

Unique and undersated. These small saw marks add a rustic touch.

SCORCHED

Flamed by hand to add blackened depth.

FINISHES

Real wood brought to life

OILED

Oil brings wood to life

Five to seven coats of oil are cured to create a harder finish that beautifully allows the character of the wood to sing, whilst being easy to maintain.

See Harlech Rustic Oiled Oak, page 50.

HARDWAX OIL

An authentic feel

Two to three coats of oil painstakingly applied by hand and air dried, creating a board that feels natural to touch. As the natural oils are absorbed over time, reapplication of a protective oil is recommended.

See our Design Panels, page 110.

LACQUERED

Extremely smooth and glossy

A higher sheen level than matt lacquer gives a sleek modern look to these boards.

See Berkeley Classic Walnut, page 104.

UNFINISHED

Natural and authentic

These boards are supplied with pre-filled knots and are pre-sanded too, ready to add your desired finish.

See Chepstow Rustic Oak Unfinished, page 89.

MATT LACQUERED

Smooth and hard wearing

A hard-wearing layer of matt lacquer creates a dull satin sheen. This is more resilient than an oiled finish as the lacquer creates a protective layer on the wood instead of being absorbed.

See Goodrich Smoked Oak, page 69.

BOARD EDGES

Bevels are sloped edges created along the planks of wood floors, adding depth and definition to each board as well as enhanced interest to the floor as a whole. Choose from boards with standard or distressed bevels to suit your style.



BEVELLED

For the characterful and traditional appearance of classic floorboards.

See Harlech Rustic, page 50.



DISTRESSED BEVEL

For character, and a textured, worn feel.

See Chepstow Washed, page 92.

TIMELESS QUALITY

SOLID WOOD FLOORING

For a naturally beautiful floor that will last a lifetime.

Nothing beats solid wood for a timeless natural texture and a robust feel beneath your feet. For a solid, traditional structure, each board is precision milled from a single piece of timber that has been carefully chosen and graded, then machined with tongue and groove on all edges, to ensure a perfect fit when installed.

Our solid wood boards are carefully selected and harvested from responsibly managed forests in Europe and the Americas. From a traditional rustic oiled finish to a striking hand-scraped statement board, our solid wood range offers choices to complement both contemporary and traditional interior design.



SELECTING THE BEST

The wood's natural texture is enhanced through a range of different finishes, each of which brings out a beautiful element of its character – distinctive grain patterns, mellow hues and rustic textures.



The mark of
responsible forestry

All of our solid
wood floors are
responsibly sourced
with FSC® certification.



PEACE OF MIND FOR
GENERATIONS TO COME







SOLID WOOD FLOORING

YORK

Timeless, Robust
and Characterful

A premium solid wood board in a range
of elegant finishes

“

Classic knots and swirling grain patterns create a traditional look with beautiful texture. As oak ages, it also becomes richer and deeper in colour making a floor that seems to live and mature with you.

”



YORK | RUSTIC OAK

Rustic | Oiled 36-YRO-150
150mm x Random Lengths | 1.71m²/pack **£90m² inc VAT**

Rustic | Lacquered 36-YOR-150
150mm x Random Lengths | 1.71m²/pack **£90m² inc VAT**

A traditional floor with rich honey hues and a medley of plank lengths with elegant knots, dark streaks and filled cracks.





YORK | WHITE WASHED OAK

Rustic | Brushed & Matt Lacquered
150mm x Random Lengths | 1.71m²/pack

36-YWW-150
£95m² inc VAT

These whitewashed boards evoke the sandy tones and airy feel of the seaside. Bright flaxen hues meet striking knots and a subtly textured surface.



YORK | TAWNY OAK

Rustic | Brushed & Matt Lacquered
150mm x Random Lengths | 1.98m²/pack

36-YTO-150
£95m² inc VAT

Presenting subtle brushed out grain textures accentuated with rich burnt coffee tones, this elegant floor enhances the natural light and beauty of any room setting.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floats

LENGTH



Random length planks

HEATING



Underfloor

THICKNESS



18mm

EDGES



Bevelled

WARRANTY



100 YEARS

WOODPECKER

LEGACY



YORK | SELECT OAK

Select | Brushed & Matt Lacquered
150mm x Random Lengths | 1.98m²/pack

36-YBM-150
£125m² inc VAT

Celebrating the beauty found in timber's more refined details, the wood for these boards is handpicked to ensure only small knots are included for a consistent look across the floor.

What is Select?

Find out more on page 56.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Random length planks

HEATING



Underfloor

THICKNESS



18mm

EDGES



Bevelled

WARRANTY



100
YEARS



YORK | ANTIQUE OAK

Rustic | Lacquered
150mm x Random Lengths | 1.71m²/pack

36-YOA-150
£110m² inc VAT

Full of character, with a painstakingly hand scraped surface. Copper hues flow throughout the oak's rich chocolate colours, enhanced with subtle shade variations for a truly antiqued effect.



See what you like?

Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK

THE BEAUTY OF REAL WOOD

ENGINEERED WOOD FLOORING

For added versatility and practicality

With a substantial real wood top layer, Woodpecker engineered flooring combines the beautiful character and style of a solid timber floor with the exceptional performance of our engineered board construction.

With a choice of core type - Stratex® mineral composite or cross-layered softwood or plywood - this advanced construction adds stability and balance to every board, minimising expansion, contraction and warping.

Offering you the classic good looks of solid wood as well as outstanding versatility, engineered flooring is a perfect and practical solution for today's homes.

SELECTING THE BEST

Our engineered wood floors stand out due to their impeccable craftsmanship, marrying aesthetic elegance with exceptional durability. Their sustainable sourcing and innovative construction ensure long-lasting beauty, making them a timeless and eco-friendly investment for any space.



All our wood is sourced from responsibly managed, sustainable forests and is fully certified to the highest standards.



PEACE OF MIND FOR GENERATIONS TO COME

Please note that our Lynton Engineered floor offers a 25 year warranty.







ENGINEERED FLOORING

LYNTON

Real wood top layer
Stable Stratex[®] core
Built-in underlay


Incredibly strong and stable,
dent-resistant boards

LYNTON

Real Wood Top Layer,
Stable Stratex® Core & Built-in Underlay

DENT-RESISTANT REAL WOOD TOP LAYER

Brused & matt lacquered for character,
the dent-resistant top layer makes
Lynton perfect for real life and the
demands of family homes.



CLICK JOINT FOR EASY FITTING

This Valinge patented
locking joint makes Lynton
quick and easy to fit.



BUILT-IN UNDERLAY

The built-in cross linked foam
underlay means you don't have
to purchase any additional
underlay to go with Lynton.



STABLE STRATEX® CORE

The mineral composite core gives
Lynton incredible stability and
supports the real wood top layer to
make it more dent-resistant.



REAL WOOD FOR REAL LIFE

With its dent-resistant real wood top
layer and impressively stable composite
core, our ground-breaking Lynton range
truly is a modern board for modern
life. Combining the beauty of mature
European oak with our unique Stratex®
technology, Lynton is the perfect blend of
good looks and practicality.





LYNTON | SEAGRASS OAK

Rustic | Brushed & Matt Lacquered
165x1220mm | 2.013m²/pack

33-LYT-005
£69m² inc VAT

Evoking long lost timber, washed by the waves to a whitened hue, hinting at the hidden mysteries of the deep, yet vibrant with life. Delicately brushed and matt lacquered.



LYNTON | CHIFFON OAK

Rustic | Brushed & Matt Lacquered
165x1220mm | 2.013m²/pack

33-LYT-006
£69m² inc VAT

As natural as it comes, with a warmth and texture you can feel, enhanced by brushing and a subtle matt lacquer. Oak in the raw with an overlay of gossamer shades.

STABILITY	UNDERLAY	MOISTURE	WEAR LAYER	JOINT TYPE		FITTING METHOD			HEATING	THICKNESS	WARRANTY
High	Built-in	High resistance	1mm	Tongue & Groove	Easiloc	Glued	Secret Nail	Floated	Underfloor Tog Rating	7mm	25 YEARS



LYNTON | ESTUARY OAK

Rustic | Brushed & Matt Lacquered
165x1220mm | 2.013m²/pack

33-LYT-004
£69m² inc VAT

Imagine salt and sand, years of maritime history ingrained into the timbers of hardworking waterside structures, captured in this characterful brushed and matt lacquered board.



LYNTON | NATURAL OAK

Rustic | Brushed & Matt Lacquered
165x1220mm | 2.013m²/pack

33-LYT-001
£69m² inc VAT

Our national favourite, a mature golden oak that works beautifully with any décor, subtly brushed with a muted sheen. A traditional product, loved by generations past, now perfect for the modern home.

STABILITY	UNDERLAY	MOISTURE	WEAR LAYER	JOINT TYPE		FITTING METHOD			HEATING	THICKNESS	WARRANTY
High	Built-in	High resistance	1mm	Tongue & Groove	Easiloc	Glued	Secret Nail	Floated	Underfloor Tog Rating 1.15	7mm	25 YEARS





LYNTON | EVENING OAK

Rustic | Brushed & Matt Lacquered
165x1220mm | 2.013m²/pack

33-LYT-003
£69m² inc VAT

Capturing the subtle tones of twilight as the sun dips below the horizon, the sunset shadows and streaks of the passing day fade. Brushed and matt lacquered to intensify the grain.



LYNTON | WEALD OAK

Rustic | Brushed & Matt Lacquered
165x1220mm | 2.013m²/pack

33-LYT-002
£69m² inc VAT

Recalling a darkened ancient woodland steeped in history, this sumptuous dark floor will bring a hint of mysterious luxury to any room. Brushed and matt lacquered for a classic understated finish.

STABILITY	UNDERLAY	MOISTURE	WEAR LAYER	JOINT TYPE		FITTING METHOD			HEATING		THICKNESS	WARRANTY
High	Built-in	High resistance	1mm	Tongue & Groove	Easiloc	Glued	Secret Nail	Floated	Underfloor	Tog Rating	7mm	25 YEARS

LYNTON | WEALD OAK

ENGINEERED | LYNTON







ENGINEERED FLOORING

SALCOMBE

Fresh Natural Hues

A range of distinctive modern
shades capturing the light and vitality
of the natural world



SALCOMBE | PEARL OAK

Rustic Brushed & Matt Lacquered	45-PLO-001
190x1900mm 2.888m ² /pack	£75m² inc VAT

A subtle moonlit board, which brings a sense of light and space, with a lovely blend of gentle ashen tones, conjuring thoughts of the gleam of precious stones.



SALCOMBE | SEASHORE OAK

Rustic Brushed & Matt Lacquered	45-WDG-013
190x1900mm 2.888m ² /pack	£75m² inc VAT

A contemporary board evoking the pastel hues of the seaside with ashen, honey and cocoa shades, the colours and textures will conjure up the fresh feeling of a beach retreat.

JOINT TYPE

Tongue & Groove | Easiloc

FITTING METHOD

Glued | Secret Nail | Floated

LENGTH

Packs include cut lengths

HEATING

1.13

Tog Rating

THICKNESS

14mm

WEAR LAYER

3mm

EDGES

Bevelled

WARRANTY





SALCOMBE | DUNE OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.888m²/pack

45-WGR-016
£75m² inc VAT

Featuring a distinctive assortment of ashen tones with subtle hints of dusky rose, this smoked floor brings to mind the multi-tonal dunes edging our favourite beaches.

SALCOMBE | SANDORA OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.888m²/pack

45-SDO-001
£75m² inc VAT

The pure simplicity of this floor with its pale rustic details is inspired by the Scandinavian design movement, combining functionality with natural beauty.

JOINT TYPE		FITTING METHOD			LENGTH	HEATING	THICKNESS	WEAR LAYER	EDGES	WARRANTY	
Tongue & Groove Easiloc		Glued Secret Nail Floated			Packs include cut lengths	Underfloor Tog Rating	14mm	3mm	Bevelled	100 YEARS	

“

Wood flooring can transform a room, working beautifully with both natural and man-made textures. Why not visit our Inspiration Blog for more ideas? woodpeckerflooring.co.uk/inspiration


”

SALCOMBE | NATURAL OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.888m²/pack

45-WGO-000
£75m² inc VAT

Showcasing the unadorned natural beauty of oak, this floor features the rich golden hues and rustic details that make this species eternally popular.







SALCOMBE | RIVIERO OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.888m²/pack

45-RVO-001
£75m² inc VAT

With its warm tones and gentle character, this board feels comforting and welcoming, its soft dark tones and coffee highlights blending in perfect harmony.



SALCOMBE | HEADLAND OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.888m²/pack


45-HDO-001
£75m² inc VAT

Inspired by the touch of twilight on a wild headland, this is a rich and characterful board, its dark grain patterns bringing an understated sense of sophistication and elegance to any room.

JOINT TYPE




FITTING METHOD



LENGTH



HEATING



THICKNESS



WEAR LAYER



EDGES



WARRANTY







ENGINEERED FLOORING

HARLECH

Classic Oak Tones

The timeless elegance of
oak across a spectrum
of striking finishes

HARLECH | ECRU OAK
GOODRICH | ECRU OAK



HARLECH | WHITE OILED OAK

Rustic | Oiled
190x1900mm | 2.166m²/pack

35-HWO-189
£98m² inc VAT

This captivating white oak floor inspires a calm and relaxed feel in the home. The light shade brings a lovely sense of space to a room, reflecting light and defining furniture.



Matching
Herringbone
Page 62

HARLECH | ECRU OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HOE-001
£98m² inc VAT

This pale floor is the perfect complement to modern interiors. Boards have an unfinished look and brushed texture for a beautifully natural feel.

Also available as a Goodrich herringbone parquet – see page 62.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS

“

Light and grey-toned floors help brighten up a space, making it feel more open and airy. As a neutral backdrop they work well with Scandi, minimalism and modern farmhouse styles.

”




HARLECH | FEATHER OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack


35-HFF-002
£98m² inc VAT

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations are further enhanced by smoking.

Available in Goodrich chevron, Goodrich herringbone and Highclere herringbone – see page 65, 73 and 82.







HARLECH | WHITE SMOKED OAK

Rustic Brushed & Matt Lacquered	35-HSV-001
190x1900mm 2.166m ² /pack	£98m² inc VAT
Rustic Brushed & Matt Lacquered	35-HWS-240
240x2200mm 2.11m ² /pack	£121m² inc VAT

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones. This modern 190mm board is also available in a premium 240mm width.

Available in Goodrich herringbone – see page 66.















HARLECH | RAW OAK

Rustic Brushed & Matt Lacquered	35-HRA-001
190x1900mm 2.166m ² /pack	£98m² inc VAT
Rustic Brushed & Matt Lacquered	35-HRA-240
240x2200mm 2.11m ² /pack	£121m² inc VAT

The perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest.

Available in Goodrich herringbone and Goodrich chevron—see page 65 and 72.

JOINT TYPE		FITTING METHOD			LENGTH	HEATING		THICKNESS	WEAR LAYER	EDGES	WARRANTY
											
Tongue & Groove	Easiloc	Glued	Secret Nail	Floated	Packs include cut lengths	Underfloor	Tog Rating	15mm	4mm	Bevelled	100 YEARS



HARLECH | RUSTIC OAK

Rustic Brushed & Matt Lacquered 150x1900mm 1.71m ² /pack	35-HOB-001 £90m² inc VAT
Rustic Brushed & Matt Lacquered 190x1900mm 2.166m ² /pack	35-HBL-001 £94m² inc VAT
Rustic Brushed & Matt Lacquered 240x2200mm 2.11m ² /pack	35-HRO-240 £118m² inc VAT
Rustic Oiled 150x1900mm 1.71m ² /pack	35-HOC-148 £90m² inc VAT
Rustic Oiled 190x1900mm 2.166m ² /pack	35-HRO-001 £94m² inc VAT
Rustic Oiled 240x2200mm 2.11m ² /pack	35-HOR-240 £118m² inc VAT



Matching
Herringbone
Page 66 & 82

Three plank
widths

Rooted in nature with rich golden tones and intriguing details which bring a warming, traditional feel to a room.

Choose a classic 150mm board, or upgrade to our wider 190mm or premium 240mm width.

Available in both Goodrich and Highclere herringbone - see page 66 and 82.



HARLECH | SMOKED OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HSO-001
£98m² inc VAT

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards.

Available in Goodrich herringbone - see page 69.



HARLECH | COFFEE OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HCO-001
£98m² inc VAT

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Available in both Goodrich herringbone and Highclere wide herringbone - see page 71 & 84.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY





HARLECH | BISCOTTI OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HGO-002
£98m² inc VAT

Rich wheaten tones and gentle sweeps of molasses bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available in both Goodrich and Highclere herringbone – see page 69 and 84.



HARLECH | COGNAC OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HOC-190
£98m² inc VAT

Distinct dark grain patterns characterise this vivid and sophisticated oak floor, evoking the richly stained barrels used to store the finest spirits.

JOINT TYPE



FITTING METHOD



LENGTH



HEATING



THICKNESS



WEAR LAYER



EDGES



WARRANTY







HARLECH | ESPRESSO OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HEO-001
£98m² inc VAT

Sophisticated, radiant and distinct, this is a floor with real depth, its sumptuous shades accentuated by the smoking process and wonderfully textured feel.

Available in Goodrich herringbone - see page 71.





HARLECH | CHOCOLATE OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HCW-001
£98m² inc VAT

Dark, elegant, indulgent - a truly glamorous wood floor. Lively natural details wind across the planks, bringing warmth and intrigue to a room.



HARLECH | STORMY OAK

Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

35-HWG-001
£118m² inc VAT

A mix of grey hues and whitened grains make this a most characterful floor. Cutting edge reactive stains bring a superb depth and intensity to the varied tones.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS


SELECT GRADE

PREMIUM, SLEEK & ELEGANT

The Woodpecker Legacy range includes the most beautiful and extraordinary boards for a striking statement look. From the refined look of hand-picked select grades to exquisite hand finishing, these floors are truly distinctive and special.

The Woodpecker Legacy Select grade floors are carefully chosen for their natural yet consistent look, with fewer knots and a more pristine, uniform appearance than more rustic grades.

Select grade wood is highly sought after and comes from the very centre of the tree, where the growth rings are close together and there are fewer rustic features such as knots and sapwood, giving the planks a clean and refined look.



SELECT

Max size of sound knots: 20mm

Max size of dead knots: 10 mm

Heartwood: Not Allowed

Sapwood: 10%

Colour Variation: Limited

Small Cracks: Allowed



RUSTIC

Max size of sound knots: 50mm

Max size of dead knots: 30 mm

Heartwood: Allowed

Sapwood: Allowed

Colour Variation: Allowed

Small Cracks: Allowed



HARLECH | SELECT OAK

Select | Oiled
190x1900mm | 2.166m²/pack

35-HOO-005
£127m² inc VAT

Select | Matt Lacquered
190x1900mm | 2.166m²/pack

35-HOL-001
£127m² inc VAT

Handpicked from the finest timber, each plank captures the natural beauty of wood's golden hues and gentle grain patterns but only features small rustic details for a more refined look.



See what you like?

Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS





ENGINEERED FLOORING

GOODRICH

Stylish Herringbone

A striking design classic,
effortlessly contemporary
whilst evoking a golden age



WOODPECKER FAMILIES

To make it easier for you to create a seamless look between rooms, up stair cases or even across your whole home, we have created Woodpecker families.

These include different boards in a variety of formats with matching colours and finishes; enabling you to confidently create a seamless look and feel throughout your home.

YOUR FAVOURITE COLOURS IN



PLANK



WIDE PLANK



HERRINGBONE



LARGE
HERRINGBONE



CHEVRON



GOODRICH | WHITENED OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GWH-001
£109m² inc VAT

Light in colour with a contemporary blend of ash and flaxen tones, these boards marry striking rustic character with varying natural hues.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



GOODRICH | ECRU OAK
HARLECH | ECRU OAK

Matching
plank
Page 46

MATCHING PLANK AND HERRINGBONE

To make it easier for you to create a seamless look between rooms, up stairs or even across different rooms, why not try a matching plank and herringbone.

GOODRICH | ECRU OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GEO-001
£109m² inc VAT

These pale parquet boards have an unfinished look, are smoked to enhance the colour variation and have a brushed texture for a beautifully natural feel.

Also available as a Harlech plank – see page 46.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY




“

Fresh light floors never go out of style: these attractive neutral colours give rooms a contemporary, open and airy feel.

”







GOODRICH | FEATHER OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-OGW-001
£113m² inc VAT

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look. The subtle colour variations are further enhanced by smoking.

Also available as a Harlech plank, Highclere wide herringbone and Goodrich chevron - see page 47, 82 and 73.



GOODRICH | RAW OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GRO-001
£113m² inc VAT

This perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest, with a contemporary herringbone twist.

Also available in both Harlech plank and Goodrich chevron - see page 49 and 72.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY





GOODRICH | WHITE SMOKED OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GWS-001
£113m² inc VAT

A beautiful fresh whitened oak floor which has been smoked to enhance its ashen undertones. This popular board has been reinvented as an elegant herringbone design.

Also available as a Harlech plank – see page 49.



GOODRICH | NATURAL OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GNA-001
£100m² inc VAT

This natural oak flooring captures timeless elegance and traditional artistry in the home with rich honey tones and striking details. A long-standing favourite due to its classic charm.

Also available as a Harlech plank and Highclere wide herringbone – see page 50 and 82.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY







“

Smoking is an age-old process which subtly enhances and intensifies the wood's beautiful tones by awakening the natural tannins in the timber.

”



GOODRICH | SMOKED OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GFO-001
£113m² inc VAT

This multi-tonal floor is alive with the natural character and warming colours of oak. The smoking process has enhanced every highlight and shadow in these vibrant boards.

Also available as a Harlech plank – see page 51.



GOODRICH | BISCOTTI OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GGO-001
£113m² inc VAT

Rich wheaten tones and gentle sweeps of molasses bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available as a Harlech plank and Highclere wide herringbone – see page 52 and 84.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY







GOODRICH | COFFEE OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GCO-001
£109m² inc VAT

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available as a Harlech plank and Highclere wide herringbone – see page 51 and 84.




GOODRICH | ESPRESSO OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GCW-001
£113m² inc VAT

Sophisticated, radiant and distinct, this is a parquet floor with real depth, its sumptuous shades accentuated by the smoking process, and wonderfully textured feel.

Also available as a Harlech plank – see page 54.



WOODPECKER

LEGACY



GOODRICH | RAW OAK CHEVRON

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GRC-001
£133m² inc VAT

A striking chevron version of this perfect combination of pale, pared-back and rustic details, showcasing the wood's natural character in a subtle shade that feels fresh from the forest.

Also available as a Harlech plank and Goodrich herringbone – see page 49 and 65.



Matching
plank
Page 49

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS



GOODRICH | FEATHER OAK CHEVRON

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-CGR-001
£133m² inc VAT

A beautiful chevron design - calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations further enhanced by smoking.

Also available as a Harlech plank and Goodrich and Highclere herringbone - see page 47, 65 and 82.



See what you like?

Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK



“

The traditional herringbone flooring design can be traced back as far as 500BC when the Ancient Romans used it to lay their famous roads.

”

WOODPECKER

LEGACY



GOODRICH | SALTED OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-SGR-001
£129m² inc VAT

Parquet flooring gets a texture rush in this stylish and characterful floor. These blocks bear distinctive saw marks for a striking rustic effect, whilst being wonderfully contemporary in colour.



GOODRICH | BARN OAK

Rustic | Brushed & Matt Lacquered
90x400mm | 1.296m²/pack

32-GBO-001
£133m² inc VAT

Painstakingly distressed by hand, each piece of Barn Oak is truly unique. Discover an array of antique features in this design, which tell the tale of an age-old parquet floor reclaimed to be loved once more. Tumbled edges, rich natural details and worn surface character come together beautifully with a grey washed shade for a modern rustic look.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down



THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS

WOODPECKER

LEGACY



Matching
plank
Page 103



GOODRICH | CATHEDRAL OAK

Extra Rustic | Hardwax Oiled
90x400mm | 1.296m²/pack

32-GOC-001
£133m² inc VAT

Painstakingly distressed by hand, with tumbled edges, rich natural details and worn surface character, with a grey washed shade for a modern rustic look.

Also available as a Berkeley plank - see page 103.

GOODRICH | SPICED OAK

Extra Rustic | Hardwax Oiled
90x400mm | 1.296m²/pack

32-GSO-001
£133m² inc VAT

Evoking the toasted tones of roasted dark brown spices, these boards evoke the footfall and stories of generations gone by, a warm foundation to even the most modern of schemes.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS



“ The staggered zigzag herringbone pattern is made up of wooden blocks cut smaller than traditional planks creating a striking and stylish look. ”

WOODPECKER

LEGACY



GOODRICH | FOUNDRY OAK

Extra Rustic | Hardwax Oiled
90x400mm | 1.296m²/pack

32-GMO-001
£133m² inc VAT

A rich, timeworn herringbone with red and auburn undertones which bring warmth and depth to the floor. A striking choice, full of character and charm.



GOODRICH | CHARRED OAK

Rustic | Hardwax Oiled
90x400mm | 1.296m²/pack

32-GCD-001
£133m² inc VAT

Gloriously bold and blackened, capturing the feel of a reclaimed parquet floor with hand distressed blocks featuring stunning colour variations, marks, scuffs, dents and tumbled edges.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor | Tog Rating
if fully stuck down



1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS







ENGINEERED FLOORING

HIGHCLERE

Striking large format
herringbone

Bigger, bolder herringbone
planks for an elegant statement
design with a twist



HIGHCLERE | FEATHER OAK

Rustic | Brushed & Matt Lacquered
120x600mm | 1.44m²/pack

32-HFO-001
£118m² inc VAT

Calm white grains meet soft grey tones, creating a wonderfully clean and contemporary look, the subtle colour variations further enhanced by smoking.

Also available as a Harlech plank, Goodrich herringbone and Goodrich chevron – see page 47, 65 and 72.



HIGHCLERE | NATURAL OAK

Rustic | Brushed & Matt Lacquered
120x600mm | 1.44m²/pack

32-HNO-001
£109m² inc VAT

This natural oak flooring captures timeless elegance and traditional artistry with rich honey tones and striking details. A long-standing favourite due to its classic charm.

Also available as a Harlech plank and Goodrich herringbone – see page 50 and 66.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



“

Always popular, natural tones work with any scheme; beautifully showcasing intriguing grain patterns and characterful variations, they are a design classic.

”





HIGHCLERE | COFFEE OAK

Rustic | Brushed & Matt Lacquered
120x600mm | 1.44m²/pack

32-HCO-001
£118m² inc VAT

Rich and sophisticated in colour with an array of dark tones and lovely texture, this floor is the perfect choice for a traditionally styled home.

Also available as a Harlech plank and Goodrich herringbone – see page 51 and 71.



HIGHCLERE | BISCOTTI OAK

Rustic | Brushed & Matt Lacquered
120x600mm | 1.44m²/pack

32-HBO-001
£118m² inc VAT

Rich biscuit tones and gentle sweeps of caramel bring this floor to life, imbuing it with character and elegance, working well in both classic and modern design schemes.

Also available as a Harlech plank and Goodrich herringbone – see page 52 and 69.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS

DESIGN STRIPS

For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet pattern, why not use one of our brass or brushed stainless steel inlay strips? See page 144 for more details.



WOODPECKER FAMILIES

To make it easier for you to create a seamless look between rooms, up stairs or even across your whole home, we have created Woodpecker families.

These include different boards in different formats but with matching colours and finishes, so that you can be confident of a consistent look and feel to effortlessly create the scheme of your dreams.





ENGINEERED FLOORING

CHEPSTOW

Rugged, Distinguished
and Beautiful

Majestic, thick, traditionally finished boards.
Strong, hardwearing and charming.

TAKING CHEPSTOW TO THE NEXT LEVEL



Plus we've introduced three brand new beautiful floors:

Chepstow Flaxen Oak, Chepstow Shale Oak and Chepstow Silverglade Oak.

With the feeling of having been worn and matured over the ages, all three are premium structural boards, as you'd expect from Chepstow, and each brings a new and distinctive dimension to this ever-popular range.

Chepstow boards are already renowned for being both distinguished and beautiful, and now we've upped the ante ever further.

With enhanced textural finishes to add character and depth, the Chepstow range is the perfect foundation to design schemes both traditional and modern, bringing life and interest to a room.

















CHEPSTOW | RUSTIC OAK

Rustic Unfinished 189x1860mm 2.11m ² /pack	65-HMU-001 £121m² inc VAT
Rustic Lacquered 189x1860mm 2.11m ² /pack	65-HML-001 £123m² inc VAT
Rustic Brushed & Oiled 189x1860mm 2.11m ² /pack	65-HBO-001 £123m² inc VAT
Rustic Brushed & Oiled 240x2200mm 2.11m ² /pack	65-HBO-002 £143m² inc VAT



The classic look of rustic oak merging natural style with timeless appeal in its flowing grain patterns, slowly grown knots and array of caramel shades, in a classic 189mm or premium 240mm width.

JOINT TYPE	FITTING METHOD	LENGTH	HEATING	THICKNESS	WEAR LAYER	EDGES	WARRANTY
 	  		 				
Tongue & Groove Easiloc	Glued Secret Nail Floated	Packs include cut lengths	Underfloor Tog Rating if fully stuck down	21mm	6mm	Bevelled	100 YEARS



“
With all the beauty of a timework
reclaimed board, and yet the
performance of a premium
engineered construction, you really
can have the best of both worlds.

”

WOODPECKER

LEGACY



CHEPSTOW | FLAXEN OAK

Rustic | Hardwax Oiled
190x1900mm | 2.166m²/pack

65-RAW-001
£134m² inc VAT

Allowing the wood's natural character to shine through, this footworn yet untarnished board presents a subtle shade that will perfectly enhance any room.



CHEPSTOW | SHALE OAK

Rustic | Hardwax Oiled
190x1900mm | 2.166m²/pack

65-RFO-001
£134m² inc VAT

Soft grey tones, inspired by mist cascading across rockfaces, are offset by cool tonal variations, adding personality and vitality to these beautiful boards.

JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
if fully stuck down



1.2

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100
YEARS

WOODPECKER

LEGACY



CHEPSTOW | SILVERGLADE OAK

Rustic | Hardwax Oiled
190x1900mm | 2.166m²/pack

65-RWS-001
£134m² inc VAT



CHEPSTOW | WASHED OAK

Rustic | Hardwax Oiled
190x1900mm | 2.166m²/pack

65-RWA-001
£134m² inc VAT

Rustic | Hardwax Oiled
240x2200mm | 2.11m²/pack

65-RWA-002
£155m² inc VAT

With ashen undertones and a fresh contemporary wash, this board evokes the light and shadows that play across woodlands, dappling the dew-dressed ground.

Full of whirling natural details, the subtle pale wash on this oak floor brings out the delicate grey hues and golden undertones.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100
YEARS



“

Washing softens natural tones for a subtle yet elegant style statement, with the versatility to brighten any interior space.

”



CHEPSTOW | ANTIQUE OAK

Rustic | Oiled
190x1900mm | 2.166m²/pack

65-POA-001
£134m² inc VAT

Rustic | Oiled
240x2200mm | 2.11m²/pack

65-POA-002
£152m² inc VAT

Distinctive deep grain patterns and rich warming tones - a dark stain brings the oak's character to the fore while bevelled edges create beautiful definition.



See what you like? ORDER FREE SAMPLES FROM WOODPECKERFLOORING.CO.UK

WOODPECKER

LEGACY



CHEPSTOW | PLANED GREY OAK

Rustic | Oiled
189x1860mm | 2.11m²/pack

65-POG-001
£134m² inc VAT

With delicate ashen hues and a beautifully rough surface evoking freshly sawn timber, the rugged beauty of these boards recalls times passed in their every ridge and rise, grain and knot.



Two plank widths

CHEPSTOW | DISTRESSED CHARCOAL OAK

Rustic | Hardwax Oiled
190x1900mm | 1.444m²/pack

65-AOC-001
£152m² inc VAT

Rustic | Hardwax Oiled
240x2200mm | 2.11m²/pack

65-AOC-002
£172m² inc VAT

A stunning mix of rich auburn and deep chocolate tones, brought to life by hand with sultry stains and augmenting waxes, enhancing distressed bevelled edges and characterful surface dents.

JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

FITTING METHOD

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating if fully stuck down



1.2

THICKNESS



21mm

WEAR LAYER



6mm

EDGES



Bevelled

WARRANTY



100 YEARS





ENGINEERED FLOORING

BERKELEY

Extraordinary woods,
textures and finishes

Hand-worked extra rustic Oak
and beautifully sleek Walnut



WOODPECKER

LEGACY



BERKELEY | WHITE OAK

Extra Rustic | Brushed & Matt Lacquered
190x1860mm | 2.11m²/pack

38-BWO-005
£123m² inc VAT

This white oak floor evokes a beach-house feel with its chalky ashen stain and rustic details. Full of character, smoking intensifies the subtle tones.



BERKELEY | GREY OAK

Extra Rustic | Brushed & Matt Lacquered
190x1860mm | 2.11m²/pack

38-BAG-001
£123m² inc VAT

Relaxing ashen hues are accentuated by smoking and blend with a handscraped texture in this extra rustic board, featuring the large knots, splits and cracks characteristic of decades-old oak.

JOINT TYPE



Tongue & Groove



Easiloc



Glued



Secret Nail



Floated

FITTING METHOD

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating if fully stuck down



1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS



“

Stained, smoked, brushed and
matt lacquered - every careful
process refines and enhances
the distinctive character of
these beautiful boards.

”

WOODPECKER

LEGACY



BERKELEY | CALICO OAK

Extra Rustic | Brushed & Matt Lacquered
190x1860mm | 2.11m²/pack

38-BCC-001
£150m² inc VAT

Dusky and daring, this floor's grey and taupe tones are brought to life by smoking and are then aged and distressed with marks, dents and scuffed edges capturing the feel of timber with a history.



BERKELEY | COTTAGE OAK

Extra Rustic | Brushed & Matt Lacquered
190x1860mm | 2.11m²/pack

38-BDW-001
£150m² inc VAT

Featuring chatter marks from the sawmill along the edges, each board is full of rustic, timeworn character and charming effects, with a rich depth of colour enhanced by the classic smoking treatment.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS

WOODPECKER

LEGACY



BERKELEY | ARCHWAY OAK

Extra Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

38-BDB-001
£150m² inc VAT

Bearing the characterful marks of the craftsman's hand tools, these richly toned boards evoke an ingrained history stretching back generations, yet still look astonishing in both modern and traditional settings.



BERKELEY | SMOKED OAK

Extra Rustic | Brushed & Matt Lacquered
190x1900mm | 2.166m²/pack

38-BOS-003
£123m² inc VAT

Seven stages of antiquing have created an exquisitely distressed floor, with dark details, intricate knots and strong colour variations enhanced by smoking.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated



LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS



BERKELEY | CATHEDRAL OAK

Extra Rustic | Hardwax Oiled
190x1860mm | 2.11m²/pack

38-BCD-001
£150m² inc VAT

Beautifully worn with undulations and the feeling of generations of footfall, waves of honey, caramel and cocoa add warmth to these richly textured boards, enhanced by expert handfinishing.

Also available as a Goodrich herringbone – see page 76.



See what you like?

Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK

WOODPECKER

LEGACY



BERKELEY | CLASSIC WALNUT

Rustic | Lacquered
190x1860mm | 2.11m²/pack

38-BCW-001
£150m² inc VAT

With rich, swirling chocolatey tones and occasional lighter sapwood streaks highlighting the bevels, this serene floor has a smooth and lustrous quality that will take centre stage.



JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS



BERKELEY | BURNT OAK

Extra Rustic | Brushed & Matt Lacquered
190x1860mm | 2.11m²/pack

38-BOA-006
£123m² inc VAT

The bronze hues of this beautifully distressed oak floor feature a medley of tonal twists, dark rustic details and defined bevelled edges, all brought to life by the traditional smoking method.



See what you like?

Order your favourite three FREE samples from
WOODPECKERFLOORING.CO.UK

WOODPECKER

LEGACY



BERKELEY | RUGGED OAK

Extra Rustic | Hardwax Oiled
190x1860mm | 2.11m²/pack

38-BRO-001
£150m² inc VAT

With rich nutty tones and golden highlights, these boards evoke the warm tones of autumn. Hand finished with marks, scuffs and dents, telling the story of antique wood that's wonderfully worn over time.



BERKELEY | PRIORY OAK

Extra Rustic | Hardwax Oiled
190x1860mm | 2.11m²/pack

38-BPO-001
£150m² inc VAT

Bearing the scorch marks and dark red undertones of historic reclaimed timber, these boards have been handfinished to create the worn feel of historic timber.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating
if fully stuck down

1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100
YEARS





“
Scorching boards originated in Japan and is known as Shou Sugi Ban or Yakisuga. Originally done to preserve and protect wood, it also creates the most beautiful finish.

”

WOODPECKER

LEGACY



BERKELEY | CHARTERHOUSE OAK

Extra Rustic | Hardwax Oiled
190x1860mm | 2.11m²/pack

38-BOC-001
£150m² inc VAT

Full of character, these handfinished, scorched boards have deep toasted nut and cocoa hues, with the timeworn feel of hardworking floors aged by generations.



BERKELEY | CELLAR OAK

Extra Rustic | Hardwax Oiled
190x1860mm | 2.11m²/pack

38-BCO-001
£150m² inc VAT

Dark, distressed and distinctive with deep ebony undertones and all the character of aged extra rustic oak, reinforced by marks, scuffs and dents that tell the story of reclaimed aged timber.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

LENGTH



Packs include cut lengths

HEATING



Underfloor | Tog Rating if fully stuck down



1.13

THICKNESS



15mm

WEAR LAYER



4mm

EDGES



Bevelled

WARRANTY



100 YEARS





ENGINEERED FLOORING

DESIGN PANELS

Opulent statement pieces

Evoking the timeless
elegance of the past –
a striking décor classic



WOODPECKER

LEGACY

HANDCRAFTED TO ORDER

As our exquisite panels are all carefully handcrafted to order, please allow up to 8 weeks for delivery.



INTRODUCING OUR LUXURIOUS RANGE OF DESIGN PANELS.

The effortless elegance of our luxurious design panels belies the painstaking processes involved in creating them individually and by hand. Consisting of multiple sawn blocks and shapes, each panel is measured, prepared and assembled by hand, using traditional tools and techniques to craft a mini-masterpiece every time.

Sharp angles, distinctive patterns, shapes and lines all add to the unique character of this traditional flooring style.

Hammering, planing and sanding finishes each panel to perfection, with the different grains and angles bouncing the light in many directions, creating incredible and varying textures and tones.

Please note that because design panels are made to order, a deposit is required and, once confirmed, the order cannot be cancelled.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

WEAR LAYER



4mm

WARRANTY





SANDRINGHAM | ROYAL OAK

SANDRINGHAM

Limed Oak | Hardwax Oil
750x750mm | 0.56m²/pack


44-DCP-001
£250m² inc VAT

Royal Oak | Hardwax Oil
750x750mm | 0.56m²/pack

44-DCP-002
£250m² inc VAT

Aged Oak | Hardwax Oil
750x750mm | 0.56m²/pack

44-DCP-003
£250m² inc VAT



LIMED OAK



ROYAL OAK



AGED OAK

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating
if fully stuck down

THICKNESS



15mm

EDGES



Multi Micro Bevel

WEAR LAYER



4mm

WARRANTY



100
YEARS



HIGHGROVE | LIMED OAK

HIGHGROVE

Limed Oak | Hardwax Oil
750x750mm | 0.56m²/pack

44-DCP-010
£250m² inc VAT

Royal Oak | Hardwax Oil
750x750mm | 0.56m²/pack

44-DCP-011
£250m² inc VAT

Aged Oak | Hardwax Oil
750x750mm | 0.56m²/pack

44-DCP-012
£250m² inc VAT



LIMED OAK



ROYAL OAK



AGED OAK

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor | Tog Rating
if fully stuck down



1.13

THICKNESS



15mm

EDGES



Perimeter
Bevel Only

WEAR LAYER



4mm

WARRANTY



100
YEARS

NEXT GENERATION BOARDS


WOOD-DESIGN FLOORING

For high stability and outstanding performance

Incredibly strong and stable, waterproof and with built in underlay – there's no better board for modern life.

Featuring Woodpecker Stratex® technology, our wood-design floors are constructed from layers of the highest performance materials, with a mineral composite core and built in underlay, making them suitable for even the most challenging rooms in the house.

More durable and solid underfoot than laminate, stable, resilient and dent resistant, these deep embossed matt vinyl boards are the ultimate solution for the modern home.



NATURE MEETS TECHNOLOGY

Our wood-design floors excel in both form and function, offering unparalleled versatility and resilience. Their innovative composition combines natural elements with advanced technology, resulting in flooring that effortlessly merges style and durability making our wood-design floors the ideal choice for modern, enduring interiors.



PEACE OF MIND FOR
GENERATIONS TO COME







WOOD-DESIGN FLOORING


BRECON

Waterproof,
built-in underlay,
incredibly stable
& durable

A high-performance floor
in a wide range of realistic
wood-effect finishes

BRECON

Waterproof, Built-in Underlay,
Incredibly Stable & Durable



WOOD-DESIGN - FOR REAL LIFE

Our unique Stratex® technology has created a superlative board . With its highly realistic, embossed top layer, Brecon is virtually indistinguishable from real wood, Being waterproof and incredibly stable, it is suitable for the most challenging rooms and environments.






“

Tactile textures - subtle embossing of natural grain patterns and flows brings Brecon boards to life and adds realism and vitality to your floor.

”



STABILITY



High

UNDERLAY



Built in Underlay

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION

Score and
snap



BRECON | GLACIAL OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-025
£50m² inc VAT

Freshly whitewashed, evoking an Alpine cabin glistening with the hoar frost.



BRECON | IVORY OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-007
£50m² inc VAT

Fresh and light, with creamy tones meeting charming wood character.



Matching plank
& herringbone

BRECON | SEASHELL OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-009
£50m² inc VAT

A subtle design with a lovely feel of nature, inspired by the dusky tones of our rocky shores. Features saw mark effects.



Matching plank
& herringbone

BRECON | SEASHELL OAK HERRINGBONE

Deep Emboss Matt
120x600mm | 1.44m²/pack

29-BRE-026
£53m² inc VAT

These elegant parquet boards work in harmony with this subtle design, inspired by the dusky tones of our rocky shores. Features saw mark effects.

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor



Tog Rating

THICKNESS



6mm

WARRANTY



25
YEARS



BRECON | DOVE OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-005
£50m² inc VAT

An elegant mix of grey and beige tones, with striking dark rustic streaks, bringing a lively feel.



BRECON | RIVER OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-002
£50m² inc VAT

Splashed in earthy tones and white limed details, flowing with natural character.



BRECON | WAREHOUSE OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-012
£50m² inc VAT

A modern grey design capturing the feel of forest-fresh wood with visible saw marks.



BRECON | RIVER OAK HERRINGBONE

Deep Emboss Matt
120x600mm | 1.44m²/pack

29-BRE-017
£53m² inc VAT

An elegant herringbone, splashed with earthy tones and white limed details, flowing with natural character.

STABILITY



High

UNDERLAY



Built in Underlay

SLIP RESISTANCE



R10

WEAR RATING



AC4


WATERPROOF



INSTALLATION



Score and
snap



BRECON | WHISPER OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-011
£50m² inc VAT

Deep grey hues meet rustic wood character in this vivid design. Features saw mark effects.



BRECON | WHISPER OAK HERRINGBONE

Deep Emboss Matt
120x600mm | 1.44m²/pack

29-BRE-016
£53m² inc VAT

A classic parquet pattern where deep grey hues meet rustic wood character in this vivid design. Features saw mark effects.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



6mm

WARRANTY





BRECON | BARLEY OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-006
£50m² inc VAT

Modest yet warming, a versatile base for contemporary interiors.



Matching plank
& herringbone

BRECON | BLANCHE OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-022
£50m² inc VAT

Fresh out of the old mill, limed, washed, and swept, with character that has increased with age.



BRECON | FARM OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-003
£50m² inc VAT

Warm and welcoming, a characterful golden oak inspired by traditional wood flooring.



Matching plank
& herringbone

BRECON | BLANCHE OAK HERRINGBONE

Deep Emboss Matt
120x600mm | 1.44m²/pack

29-BRE-027
£53m² inc VAT

A classic herringbone, fresh out of the mill, limed, washed, and swept, with character that has increased with age.

STABILITY



High

UNDERLAY



Built in Underlay

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and
snap



BRECON | BLANCHE OAK

WOOD-DESIGN | BRECON

JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor



0.5

Tog Rating

THICKNESS



6mm

WARRANTY

25
YEARS

STABILITY



High

UNDERLAY



Built in Underlay

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION

Score and
snap



BRECON | VINTAGE OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-015
£50m² inc VAT

Rich in red oak tones and rustic personality, capturing the vibrant character of antique wood.



BRECON | VINTAGE OAK HERRINGBONE

Deep Emboss Matt
120x600mm | 1.44m²/pack

29-BRE-018
£53m² inc VAT

The stylish sophistication of parquet, rich in red oak tones and rustic personality, capturing the vibrant character of antique wood.



BRECON | VALLEY OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-014
£50m² inc VAT

A classic design with a fresh natural oak shade and charming wood character.



BRECON | BRACKEN OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-024
£50m² inc VAT

The feel of gracefully ageing timber, with warm tones reminiscent of heathland and rural villages.

JOINT TYPE



Tongue & Groove | Easiloc

FITTING METHOD



Glued | Secret Nail | Floated

HEATING



Underfloor | Tog Rating

THICKNESS



6mm

WARRANTY



25
YEARS



BRECON | HERITAGE OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-023
£50m² inc VAT

A style found in mansions and manor houses, bearing witness to the passing generations of nobility.



BRECON | SHORELINE OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-020
£50m² inc VAT

Calling to mind sea defences and breakwaters, saturated with tar and soaked with the surf.




BRECON | WEATHERED OAK

Deep Emboss Matt
180x1220mm | 2.20m²/pack

29-BRE-021
£50m² inc VAT

Time worn and gnarled, from the ancient barn, this floor has seen generations of the seasons.



BRECON | SHORELINE OAK HERRINGBONE

Deep Emboss Matt
120x600mm | 1.44m²

29-BRE-019
£53m² inc VAT

A characterful herringbone, calling to mind sea defences and breakwaters, saturated with tar and soaked with the surf.

STABILITY



High

UNDERLAY



Built in Underlay

SLIP RESISTANCE



R10

WEAR RATING



AC4

WATERPROOF



INSTALLATION



Score and snap



JOINT TYPE



Tongue & Groove



Easiloc

FITTING METHOD



Glued



Secret Nail



Floated

HEATING



Underfloor



Tog Rating

THICKNESS





6mm

WARRANTY

25
YEARS

A GUIDE TO YOUR NEXT STEPS

Now you've chosen your floor, make sure you have everything you need for the perfect fit...



SUBFLOOR PREPARATION


With an array of products to level, protect and prime your subfloor, we have everything you need to create a sound base for your Woodpecker floor.



The perfect fit




A sound base



A beautiful finish



Quality fitting




Expert knowledge




GLUE & UNDERLAY

View our specially formulated adhesives and wide range of underlays for the perfect fit.



HIGHCLERE | NATURAL OAK



TRIMS

Choose from our extensive range of trims to create a smooth transition between different rooms.




Smooth transitions

FINISHING TOUCHES

From skirting boards to pipe covers, the finishing touches make all of the difference.




A seamless finish



Exquisite detail



Added protection



CLEANING & MAINTENANCE

Prolong the beauty of your floor with our specially formulated cleaning and maintenance products.



VISIT OUR WEBSITE TO DISCOVER
TOP TIPS ON HOW TO CARE FOR
YOUR WOODPECKER FLOOR:

woodpeckerflooring.co.uk/care-video/



SUBFLOOR


PREPARATION

Properly prepared and suitable subfloors serve as a strong foundation for your new flooring.

All of our subfloor products have been carefully designed not only to work wonderfully with wood flooring, but work seamlessly with adhesives too.

Below we show you some common scenarios where our products can be used together:

OLD SOLID SCREEDED FLOOR THAT REQUIRES LEVELLING:



OLD AND DUSTY SOLID SCREEDED FLOOR THAT DOESN'T REQUIRE LEVELLING:




OLD AND UNEVEN TIMBER FLOORBOARDS:



STICKING DOWN TO AN ANHYDRITE SCREED WITH UNDERFLOOR HEATING:



ACOUSTIC DEADENING INSTALLATION:



SUBFLOOR PREPARATIONS

FOR A COMPLETELY FLAT SUBFLOOR



WP60 LIQUID DPM

Apply this liquid membrane to your subfloor to prevent residual moisture from the subfloor penetrating your natural wood floor.

Size 5L
Covers approx 25m² 23-LDP-001
£191 inc VAT



LEVEL-X & PRIMER

If your subfloor is uneven, solve the problem the natural way using gravity. With care, it can be feathered off to 2mm at the edges.

How much Level-X do you need?

$$\left[\frac{\text{Average thickness required (mm)} \times 1.7}{20 \text{ (kg)}} \right] \times \text{floor area (m}^2\text{)} = \text{number of bags}$$

Size 1L	12-LXP-001
Product Primer	£22 inc VAT
Size 20kg	12-LXC-001
Product Level-X	£39 inc VAT



11P SURFACE PRIMER

Does your Woodpecker flooring need to bond to a dusty or porous subfloor? To improve surface adhesion, apply 11P Surface Primer before using our MS Parquet adhesive, WP50 Sausages, or WP60 DPM.


Size 5L 31-WSP-001
£44 inc VAT



DAMP PROOF MEMBRANE (DPM)

Designed to be used in conjunction with a cushioning underlay, and to prevent moisture damaging your floor, this membrane is durable and strong with high puncture resistance. It's made from 1000-gauge high quality polythene. 4m x 25m

Depth 1000 gauge 37-DPM-100
Roll covers approx 100m² £100 inc VAT



LYNTON | EVENING OAK

100
YEAR
WARRANTY

Have you heard about our 100 year warranty? READ ALL ABOUT OUR PROMISE ON PAGE 9

GLUE & UNDERLAY

FOR GLUING FLOORS DOWN

Please note you cannot glue down Lynton, Salcombe and Brecon products



MS PARQUET ADHESIVE

Made specifically for use with Woodpecker floors, MS Parquet is recognised for its quality. In just 2 - 3 hours it will secure boards, and will stay permanently flexible after curing.



15kg 31-SMS-100
Covers approx 15m² £176 inc VAT



WP50 SAUSAGES

Applied using a bulk gun, this purpose-made adhesive is designed for use with Woodpecker's Acoustamat underlay to form a liquid batten system.



Sausage 600ml	23-LBS-001
Covers approx 2m ²	£14 inc VAT
Bulk Gun	23-MAG-001
	£54 inc VAT



ACOUSTAMAT

If you are concerned about noise pollution, install an Acoustamat slotted underlay in conjunction with WP50 Sausages to form a liquid batten system.

Depth 3mm	49-SSK-001
Roll covers approx 16.5m ²	£100 inc VAT

FOR NAILING FLOORS DOWN

Please note you cannot nail down Lynton, Salcombe, Design Panels and Brecon products

MOISTOP™ BARRIER PAPER

This moisture resistant barrier paper is perfect if you're using secret nails to secure a wooden floor over a timber-based subfloor.

Its bitumen backing self-seals around the nail holes to maintain a moisture barrier and prevent your flooring absorbing moisture from below.



Width 1000mm	53-MBP-001
Roll covers approx 25m ²	£75 inc VAT



SOLITEC

Where gluing down your solid or tongue & groove engineered floor is not possible, this specialist underlay has a strong adhesive top layer for the floor to bond to.

Depth 3mm	49-ST5-003
Roll covers approx 10m ²	£100 inc VAT

FOR FLOATING FLOORS

Please note you cannot float York or Design Panel products



FLOORMATE UNDERLAY

Floormate provides an excellent moisture protection, and is ideal for areas of heavy foot traffic. Made from rubber, it incorporates a foil vapour barrier and is ideal for any floating floor installation because it combines comfort, support and good sound and thermal insulation.

Depth 3.6mm	49-FME-010
Roll covers Approx 10m ²	£65 inc VAT
Depth 3.6mm	49-FME-015
Roll covers approx 15m ²	£97 inc VAT



AQUASTOP DAMP PROOF MEMBRANE

Designed especially for ground level subfloors where moisture could be present.


Depth 3mm	49-GBP-015
Roll covers approx 15m ²	£36 inc VAT



FLOORING GRADE PVA

Woodpecker's flooring grade PVA is the ideal adhesive for bonding tongue and groove floors.

0.5kg	31-WPA-505
Covers approx 5m ²	£7 inc VAT



XL UNDERLAY

If your subfloor suffers from some minor dips (up to 3mm) XL Underlay can help solve the problem.



Depth 6mm	49-WXL-001
Covers approx 6m ²	£25 inc VAT



VAPOUR TAPE

Use this tape when laying a Woodpecker moisture barrier, or products like our XL Underlay tiles.

75mm x 25m	10-VPT-097
	£7 inc VAT



For a simple technical guide to everything you need to know to install the floor, including preparation, see page 151.

TRIMS

FOR SMOOTH TRANSITIONS

TWIN TRIM

Also called a 'T-bar' or 'expansion', the twin profile is used to cover the expansion gap between two floors of equal height, providing a neat finish at a doorway, or serving as a room divider.




LYNTON

SALCOMBE,
HARLECH, GOODRICH,
HIGHCLERE, BERKELEY
AND DESIGN PANELS

14 - 18 mm

YORK,
CHEPSTOW

18 - 22 mm



END TRIM

This profile is commonly used for inset mat wells, as well as where wood flooring meets a patio door. They're also called 'edge', 'square edge' or 'end stop' profiles.




LYNTON

SALCOMBE,
HARLECH, GOODRICH,
HIGHCLERE, BERKELEY
AND DESIGN PANELS

14 - 18 mm

YORK,
CHEPSTOW

18 - 22 mm



RAMP TRIM

Where one surface meets another at uneven heights, a ramp profile is used. Typically, they bridge the gap between vinyl and wood flooring. They are also called 'reducers' or 'adapters'.




LYNTON

SALCOMBE,
HARLECH, GOODRICH,
HIGHCLERE, BERKELEY
AND DESIGN PANELS

14 - 18 mm

YORK,
CHEPSTOW

18 - 22 mm



SEMI RAMP TRIM

Where two surfaces meet but the difference in height is slight, a semi-ramp profile is the solution. They are ideal where your wood floor transitions to carpet.




SALCOMBE,
HARLECH, GOODRICH,
HIGHCLERE, BERKELEY
AND DESIGN PANELS

14 - 18 mm

YORK,
CHEPSTOW

18 - 22 mm



LYNTON

TRIM	LENGTH	NATURAL OAK RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.9m	£25	£35
	1.8m	£49	£59
END	0.9m	£25	£35
	1.8m	£49	£59
RAMP	0.9m	£25	£35
	1.8m	£49	£59

SALCOMBE, HARLECH, GOODRICH,
HIGHCLERE, BERKELEY AND DESIGN PANELS

14-18MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
TWIN	0.9m	£29	£39	£47
	1.8m	£54	£72	£87
END	0.9m	£29	£39	£47
	1.8m	£54	£72	£87
RAMP	0.9m	£34	£44	£53
	1.8m	£63	£81	£98
SEMI RAMP	0.9m	£34	£44	£53
	1.8m	£63	£81	£98

YORK AND CHEPSTOW

18-22MM THICKNESS

TRIM	LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
TWIN	0.9m	£32	£42
	1.8m	£59	£78
END	0.9m	£32	£42
	1.8m	£59	£78
RAMP	0.9m	£37	£47
	1.8m	£68	£87
SEMI RAMP	0.9m	£37	£47
	1.8m	£68	£87



TRIM STYLE OPTIONS

FINISHING TOUCHES

FLAT TRIM 20MM

With one curved and one square side, this is a multi-functional trim suitable for a variety of edges and perimeters. A wooden finish with staining available to complement solid and engineered floors.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.2m	£25	£28
1.8m	£35	£38

FLAT TRIM 44MM

A multi-functional trim perfect for transitions between two floors of the same height. A wooden finish with two curved edges. Staining is available to complement solid and engineered floors.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)
1.2m	£27	£30
1.8m	£37	£40

SCOTIA TRIM

It's not always possible to remove and refit skirting boards when you fit a wood floor, so this inwardly curved trim can be used to hide the expansion gap between skirting and the flooring.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
1.8m	£23	£26	£37

COLOUR MATCHED TRIMS

TO COMPLEMENT ALL FLOORS

In addition to our natural oak products, we also offer stained trims to complement our range of stained floors. However, just like our flooring, natural colour variation does occur, so they may not be a 100% colour match.



Have you heard about our 100 year warranty? [READ ALL ABOUT OUR PROMISE ON PAGE 9](#)

STAIR NOSING

FOR A NEAT FINISH

OVERLAP STAIR NOSING TRIM




Protect the edges of the flooring on your staircase with a stair nosing trim. This trim will stop excessive wear and tear and looks smart. It comes in colours to complement our flooring.

TONGUE & GROOVE STAIR NOSING TRIM


Available in colours to complement our wood flooring, this tongue and groove stair nosing trim will provide a neat finish on your staircase. Please note tongue & groove stair nosing isn't suitable for Lynton, Salcombe or Goodrich floors.



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
0.9m	£55	£65	£78
1.8m	£102	£120	£144



LENGTH	NATURAL OAK OR UNFINISHED RRP (INC VAT)	STAINED RRP (INC VAT)	WALNUT RRP (INC VAT)
0.9m	£55	£65	£78
1.8m	£102	£120	£144



SKIRTING BOARDS

TO COMPLETE YOUR ROOM

SOLID OAK



Made from rustic grade timber, and available either lacquered or unfinished, our solid oak skirting looks fantastic. This skirting is double sided and interchangeable so gives you the option of having Torus (beading along the top) or Ogee (with a groove and a head).

Finished size: 20 x 145 x 2350mm

OAK VENEER

With a modern pencil round profile, Woodpecker real oak veneered skirting will give the room a classy finish and has a rear rebate to hide wiring. Skirting clips are available for a glueless installation.

Finished size: 16 x 95 x 2500mm




CODE	RRP (INC. VAT)
69-SKU-145 - Unfinished	£84
69-SKO-145 - Lacquered	£84

CODE	RRP (INC. VAT)
11-VOS-095 - Skirting	£53
11-SKC-050 - Skirting Clips (Pack of 50)	£32


BRECON TRIMS

TRIMS FOR WOOD-DESIGN FLOORING


BRECON STAIR NOSING TRIM



BRECON CARPET TRIM




BRECON TWIN TRIM



BRECON RAMP TRIM



BRECON PERIMETER TRIM



BRECON SCOTIA TRIM




TRIM	LENGTH	RRP (INC VAT)
STAIR NOSING	0.9m	£27
	1.8m	£50
CARPET	0.9m	£27
	1.8m	£50
TWIN	0.9m	£13
	1.8m	£24
END	0.9m	£23
	1.8m	£43
RAMP	0.9m	£13
	1.8m	£24
PERIMETER	0.9m	£13
	1.8m	£24
SCOTIA	2.4m	£6



BRECON | BRACKEN OAK

BRECON TRIMS

INSTALLATION OF BRECON TRIMS



SCAN HERE FOR
VIDEO INSTRUCTIONS
ON HOW TO INSTALL
BRECON TRIMS



FITTING BRECON TRIMS

Cut and bond strips of the Brecon top layer to your metal profiles to obtain a perfect match.



VISIT OUR WEBSITE FOR FULL BRECON
TRIM INSTALLATION INSTRUCTIONS:

woodpeckerflooring.co.uk/how-to-install-brecon-trims/

FINISHING TOUCHES

THE SMALL DETAILS

PIPE COVERS

Conceal that unsightly hole around the radiator pipe with an easy-to-fit cover, colour-matched to your natural wood flooring.



SOLID

Our hardwood pipe covers come in two halves with a unique jigsaw design so that they clip together creating a seamless join with an inside diameter of 15mm. These are available to complement all wood floors in our catalogue.

COLOUR	PER PACK	RRP (INC. VAT)
Oak or Unfinished	2	£14
Stained or Walnut	2	£19



PLASTIC

Because plastic is so malleable, these matt pipe covers slide easily around the radiator pipe then snap closed to cover the gap between floor and pipe. Two colours are available, they have an inside diameter of 15mm, and they are sold in packs of four.

CODE	COLOUR	PER PACK	RRP (INC. VAT)
06-PPO-150	Oak	4	£5
06-PPW-150	White	4	£5

COLOUR SEALANT

310ml gunnable cartridge for wood and Stratex® wood-design floors, used to perfect the finishing touches.

CODE	COLOUR	RRP (INC. VAT)
06-WCS-001	Colour Sealant Oak	£7
06-WCS-002	Colour Sealant Pine	£7
06-WCS-003	Colour Sealant Walnut	£7
06-WCS-004	Colour Sealant Light Grey	£7



PROTECTALAY

Save clean-up time, control dust, dirt and debris during renovations with our temporary floor protection. The material provides a strong, moisture-resistant yet breathable shield which can be used to safeguard wood flooring during and after installation.



CODE	SIZE	RRP (INC. VAT)
49-PRL-001	1 x 30m = 30m²/roll	£125

DESIGN STRIPS

For an elegant and seamless transition from one floor to another, or to add a design statement into a parquet design.

CODE	DIMENSIONS	RRP (INC. VAT)
11-FBB-180 - Brass	9.5mm x 3mm x 1.8m	£47
11-FBS-180 - Brushed Stainless Steel	9.5mm x 3mm x 1.8m	£47



CHECKLIST

Here's a handy list to check off those essentials for the perfect floor finish:

1

☐

Is your subfloor level and sound?

2

☐

Have you chosen your underlay and/or adhesive?

3

☐

Do you need trims for a seamless transition between rooms?

4

☐

Don't forget your skirting boards and pipe covers for a pristine finish.

5

☐

Discover our cleaning and maintenance range on page 146 - 149 to clean and preserve the beauty of your floor.

ALL FLOORS

CLEANING & MAINTENANCE MADE EASY

1

DOOR MATS

A good quality floor mat will catch dirt and grit, reducing the risk of damage to your floor. Grit underfoot is like sandpaper, scratching the floor's finish, so consider fitting Woodpecker Coir Matting which provides a barrier to wet and dirty feet.

2

RUGS OR CARPET RUNNERS

We know the last thing you want to do is cover up the beautiful texture of your floor, but sometimes prevention is better than the cure. Consider rugs or carpet runners for high footfall areas such as doorways, halls and stairs.

3

BE CAREFUL WITH FURNITURE

Never drag furniture or other objects across your floor – it can easily result in unsightly dents or scratches. Woodpecker offers a variety of felt protectors that enable you to move furniture easily without marking your floor.

4

SHOE RULES

Avoid wearing heavy shoes or work boots when stepping onto your floor. High heels, and stilettos in particular, should be avoided. They exert a huge amount of pressure that easily dents or marks even the toughest of floors.

5

PET PATROL

Nothing's more natural than a dog or cat curled up by the fire, asleep on your floor. But remember to keep your pet's claws trimmed to prevent scratches and if there are any 'accidents' make sure they're cleaned up fast.

6

SUNSHINE

Sunlight will naturally help a floor's colour to mellow, so move rugs, mats and furniture regularly to ensure an even maturing of colour. Excessive exposure to direct sunlight can lead to expansion/shrinkage, warping and splitting. Consider shading your floor from large windows that face the sun.

COIR MATTING

Coir matting is a great way of protecting your floor.

CODE	SIZE	RRP (INC. VAT)
42-COI-010	1m ²	£48



FELT PADS

Place underneath all types of furniture including dining chairs and table legs to protect from scratches.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
05-FFP-951	Heavy Duty Felt Pads x 20 (Round)	19mm	£5
05-FFP-952	Heavy Duty Felt Pads x 16 (Round)	25mm	£5
05-FFP-953	Heavy Duty Felt Pads x 8 (Round)	38mm	£5
05-FFP-950	Heavy Duty Felt Pads x 2 (Rectangular)	113x153mm	£9



EXPERT TIP

Over time, felt pads collect grit and so to prevent any unnecessary scratches on your floor, remember to renew them every so often.

CLEANING KIT

Love your floor and keep it in tip-top condition with a Woodpecker Cleaning Kit. Using our Floor Cleaning & Care guide inside, you will be able to ensure your floor looks its best and lasts even longer.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CO-001	Cleaning Kit for Oiled Wood Floors	1L	£44
77-CKL-001	Cleaning Kit for Lacquered Wood Floors and wood-design Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Oiled Wood Floors	1L	£10
77-CLC-001	Cleaning Liquid Refill for Lacquered Wood Floors and Wood-design Floors	1L	£10
77-CKM-001	Replacement Mop Head		£12

Includes:

- 1L Cleaning liquid
- Gentle spray mop with refillable cartridge
- Washable mop head
- Floor cleaning & care guide



LIGHT CLEANING

Regular sweeping with a soft bristled broom will get rid of dust and rogue bits of grit on the floor. You can also vacuum your floor – with a soft brush attachment to minimise scratching.



MOPPING

Always use a well-wrung mop when cleaning and remove excess liquid immediately. Woodpecker supplies specially formulated Cleaning Kits that include a gentle Spray Mop, Cleaning Liquid and Care Guide for both lacquered and oiled finishes.



CLEAN UP SPILLS

Moisture is the enemy, so mop up any spilled drinks and never allow water or other liquids to sit for any length of time. The odd drop may not hurt, but excessive amounts of water will cause lasting damage.



EXPERT TIP

We recommend only using Woodpecker Care products. Other products may lead to inferior results or leave harmful residues.

OILED FLOORS

CLEANING & MAINTENANCE MADE EASY

1

CLEANING OILED FLOORS

For a deeper clean now and again, use Woodpecker One Coat Soap. This clever product will clean your floor and form a protective film, helping to build its surface resistance over time and making your floor even easier to maintain.

2

A QUICK TEST

A good way to check whether your floor needs treatment is to pour a few drops of water onto its surface. If the finish is in good order, the water will bead on the floor and can easily be wiped away. No maintenance is needed. If the water slowly soaks into the timber, leaving behind a light saturation mark, the finish is starting to wear thin. A new coat of oil should be applied. However, if the water is immediately absorbed and leaves a dark stain, the finish has been completely worn away and the floor may need sanding and re-coating.

3

RE-OILING & REPAIRS

Unlike lacquered floors, isolated areas of an oiled floor can be treated without having to re-oil the entire floor. Oiled wood floor that need re-oiling can be restored by applying Woodpecker One Coat Oil.



EXPERT TIP

Before any treatment is carried out, we recommend testing in an inconspicuous area of the floor to check compatibility.

CLEANING KIT (OILED FLOORS)

Includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable mop head.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKO-001	Cleaning Kit for Oiled Wood Floors	1L	£44
77-COC-001	Cleaning Liquid Refill for Oiled Wood Floors	1L	£10



ONE COAT SOAP

If your Woodpecker floor has an oiled finish, clean it with One Coat Soap.

CODE	SIZE	RRP (INC. VAT)
81-OCS-002	2L	£68



ONE COAT CLEANER

Prepare the surface of your sanded or oiled floor for re-oiling.

CODE	SIZE	RRP (INC. VAT)
81-OCC-001	1L	£39



ONE COAT OIL

Restore the rich natural colours and textures of your wooden floor.

CODE	SIZE	COVERS	RRP (INC. VAT)
81-OCO-001	1L	40-50m²/L	£119



TOUCH UP OIL

Conceal scratches on your oiled floor quickly and easily by applying Touch Up Oil.

CODE	SIZE	FINISH	RRP (INC. VAT)
02-TUO-080	100ml	Pure (enriches)	£16



LACQUERED & WOOD-DESIGN FLOORS

CLEANING & MAINTENANCE MADE EASY

1

CLEANING LACQUERED & WOOD-DESIGN FLOORS

For a deeper clean every so often, use a higher concentrated mix of the Woodpecker Cleaning Liquid. This will help thoroughly clean your floor.

CLEANING KIT

Includes our specially formulated Cleaning Liquid and a gentle spray mop with a refillable cartridge and washable cover.

CODE	DESCRIPTION	SIZE	RRP (INC. VAT)
77-CKL-001	Cleaning Kit for Lacquered/Wood-design Floors	1L	£44
77-CLC-001	Cleaning Liquid Refill for Lacquered/Wood-design Floors	1L	£10



2

RE-LACQUERING & REPAIRS

If your lacquered floor gets any isolated scratches or dents, these can be sealed using Woodpecker Scratch Cover according to the instructions supplied.

Deeper scratches or gouges can be filled in using Woodpecker Scratch Repair Sticks. Afterwards, apply some Woodpecker Scratch Cover to give the repair a protective finish.

Extra care is needed when sanding stained floors to ensure that the process doesn't break through the complete layer of stain. In this instance, the floor would require a patch-repair before the lacquer is applied.

If the floor is badly worn in some places, it may be necessary to sand the flooring back to its unfinished surface before recoating all over. Unlike oil, lacquer doesn't penetrate the wood's surface, instead it sticks to it so the entire floor must be covered to avoid ridges and overlap marks. Apply several coats if your floor faces lots of foot traffic.

SCRATCH REPAIR STICKS

Our scratch Repair Sticks are great for filling and hiding deep scratches.

CODE	COLOUR	RRP (INC. VAT)
02-SPS-001	Various	£8



SCRATCH COVER

Cover scuffs, chips, scratches and other minor marks in the surface of wood flooring.

CODE	SIZE	COLOUR	RRP (INC. VAT)
02-SCD-001	100ml	Dark	£6
02-SCM-001	100ml	Medium	£6
02-SCL-001	100ml	Light	£6



3

WOOD-DESIGN FLOOR REPAIRS

The best way to conceal small scratches and marks on our Brecon range is with Scratchfix – a quick and easy method to restore scratches on resilient floors.

Included in the kit is a Scratchfix Spray, which will help to restore tired, worn areas of your floor.

SCRATCHFIX REPAIR KIT

Scratchfix offers a quick and easy method to minimize scratches on resilient floors – an ideal solution to help conceal accidental marks on our Brecon range.

CODE	RRP (INC. VAT)
21-FIX-001	£69



TECHNICAL

EXPERT KNOWLEDGE

A Woodpecker floor is beautiful when installed with consideration and care. The next few pages will help you with some useful tips.

If you need any further help, our expert team are happy to talk through any queries with you. Call us on 02920 888 223 or email us at info@woodpeckerflooring.co.uk.

PREPARATION

INSTALLATION

BEFORE DELIVERY

Ensure concreting, plastering and decorating are complete, the building is thoroughly dried out and windows and doors are fitted and watertight.

HEATING AND AIR CONDITIONING

Room temperature and humidity levels need to be stable before flooring is delivered. Heating/air conditioning should be on for at least two weeks before the floor is laid. Underfloor heating must be thoroughly tested, and turned off 48 hours before fitting.

PREPARING THE SUBFLOOR

The subfloor must be in good structural condition, free from damp rot, fungal or insect infestation and contaminating residues. It must be flat with bumps and dips not exceeding 3mm over a 2m area, vacuumed and free of debris. Hot pipes should be well insulated to prevent localised hotspots, which can cause warping or shrinkage.

LEVELLING THE FLOOR

If the subfloor needs to be levelled, apply our Level-X™ Primer followed by Level-X™ Self-Levelling Compound, which is fibre reinforced. Latex self levelling compounds should only be used when the floor will be floated. Minor undulations can be disguised using the Woodpecker XL Underlay.

SUBFLOOR

A rule of thumb for the drying time of a sand and cement-based screed is one day per millimetre for the first 50mm, and 2.5 days for each millimetre thereafter. So, a 50mm screed should take about two months to dry out, and a 100mm screed will take six months. Plaster takes up to six weeks to dry completely.

DAMP PROOFING

Moisture is the enemy of natural wood, and can damage your beautiful flooring. Even when your subfloor looks dry, it may contain excess moisture in the substrate. Using a professional moisture meter such as the Protimeter MMS will tell you whether or not it's safe to go ahead with installation. Readings shouldn't exceed:

- 70% Relative Humidity (RH)
for cement-based concrete
- 11% Wood Moisture Equivalent (WME)
for wooden subfloors or joists

NB: The subfloor should be prepared for installation in accordance with the industry standards outlined in BS-8201-2011.

ATMOSPHERIC CONDITIONS

Room temperature shouldn't be lower than 18°C (64°F), or floor temperature lower than 15°C (59°F). The Atmospheric Relative Humidity should be between 40 and 60%.

ACCLIMATISATION

The sealed, unopened boxes should be laid flat, in the centre of the room for 24 hours (wood-design), 3-4 days (engineered) or 5-7 days (solid), in typical living conditions. DO NOT store it outdoors, in an outbuilding, or anywhere with damp/condensation problems.

INSPECTION

Check each plank before installation. If there are any problems, get in touch with us so that we can rectify them. We can't consider any defects after the floor has been installed.

LAYING THE FLOOR

We recommend that our flooring is installed by an experienced fitter. If the flooring is laid over floorboards, it should be positioned at right angles to the previous planks. Otherwise we recommend laying planks in the same direction as the light entering the room, mixing lighter and darker shades. Use underlay as recommended and fit according to installation instructions.

Disclaimer: Installation guidance is advisory and is based on established good practice and the BS-8201-2011 standard. It is the fitter's responsibility to follow these procedures before, during and after installation. Woodpecker cannot accept responsibility for any issues relating to installation.



VISIT OUR WEBSITE FOR
FULL PREPARATION AND
INSTALLATION DETAILS:

[woodpeckerflooring.co.uk/
installation-instructions/](http://woodpeckerflooring.co.uk/installation-instructions/)

FIXING

INSTALLATION

TONGUE & GROOVE




FULLY STUCK DOWN

Tongue and groove planks can be fixed directly to a concrete subfloor using Woodpecker Parquet MS Adhesive. Never glue the tongue and grooves together if you choose to fully stick down a wood floor as the boards could crack.



FLOATING

When laying a floating floor, you should glue tongue and groove boards together for stability, and to stop squeaking. Run adhesive along the groove of the long side and header joint of a plank. Slide it towards the long edge of the facing tongue with the header joint connected, then tighten with a tapping block or pulling iron.



NAILING

A tongue and groove wood floor can be secret nailed to an existing timber subfloor or, as long as the flooring is 18mm or thicker, fixed directly to joists as a structural floor.

The subfloor must be of a suitable width and thickness to hold 50mm cleats fixed into it at a 45° angle. Joists should be kiln dried to avoid cupping or expansion and must be spaced in accordance with building regulations.

When secret nailing to the subfloor or joists, always use a Woodpecker Moistop Barrier Paper, for a moisture barrier. Flooring should be fitted at 45° or 90° to the subfloor and nailed over every joist.

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.



EXPERT TIPS


DON'T OVERGLUE

Never glue the tongue and grooves together if you choose to fully stick down a wood floor. Too much stress will be placed on the joints and they could crack.

IT'S NAILS OR GLUE, NOT BOTH

Never use adhesive to glue between boards if it's being nailed down. The glue will inhibit the natural flexibility of the flooring and could cause cracks.

EASILOC



FLOATING

Floating a floor means that boards are loose laid over the subfloor rather than glued, nailed or screwed down. A floating floor can be installed on concrete, anhydrite, existing wood floor, chipboard, ceramic tiles, PVC and linoleum – but not carpet.

If possible, it's easiest to lock the boards in complete rows rather than individually. When connecting the header joints, insert the board into the lip at an angle of 30° and at the same time move the board closer and lower into position. It should lock into place. If it won't go, don't force it. Check the board for dirt, excess lacquer or any other obstruction, remove that, and try again.

QUICK FITTING TIPS



To allow for expansion gaps, spacers should be used at regular intervals when fitting and then removed before skirting boards, beading or trims are put in place.

EXPANSION GAPS

As wood is a natural substance, it will expand and contract with changes in the temperature and humidity. Therefore, expansion gaps need to be left to allow the floor to move.

To determine how much space needs to be left:

- Expansion gaps for solid wood floor should be 10 - 15mm regardless for floors measuring up to 5m in width. For engineered, the same gap should be used for areas up to 8m in width. Thereafter, for both types of floors, an extra 2mm per metre should be added.
- Floors with Stratex® technology will need expansion where there is likely to be temperature variation outside of normal living conditions (15°C to 25°C)
- Skirting boards should be fixed to the wall and shouldn't obstruct the movement of the floor in any way.
- Please see pages 140 - 141 for our full range of trims that can be used to conceal your expansion gaps.

UNDERFLOOR HEATING

BEFORE INSTALLATION

- Turn off the underfloor heating for at least 48 hours prior to fitting the floor.
- Use expansion trims to allow for movement between different heating zones or unheated areas.

TEMPERATURE CONTROL

Ensure the system is calibrated so that the temperature to the underside of the wood floor never reaches more than 27°C, even if the thermostat setting is increased.

AFTERCARE

- Once fitted, the floor should be left to acclimatise for 2-3 days before the underfloor heating is turned on.
- When the heating is switched on it should be set at 1°C above the ambient temperature of the room and then raised by a further 1°C per day until the desired temperature is reached. Do not turn it on full straight away. Raising and lowering the temperature too quickly can cause the wood to shrink, expand or even crack.
- Gradual temperature changes should be continued, with 1°C changes per day to accommodate the changing seasons.



CALL OUR TEAM OF EXPERTS

—
If you need any further help, our expert team are happy to chat through any queries you have. You can reach us on 02920 888 223 or email us at info@woodpeckerflooring.co.uk.





Have you heard about our planting scheme? VISIT WOODPECKERFLOORING.CO.UK/PLANTING

RANGE AT A GLANCE

HANDY TOOLS

A handy comparison tool to help
you find the perfect floor.

SOLID WOOD
FLOORING

	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
YORK													
RUSTIC OAK OILED	36-YRO-150	£90/m ²	18mm	150 x Random Lengths*	1.71m ² Variable no.	Rustic	Oiled	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	22
RUSTIC OAK LACQUERED	36-YOR-150	£90/m ²	18mm	150 x Random Lengths*	1.71m ² Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	22
WHITE WASHED OAK	36-YVW-150	£95/m ²	18mm	150 x Random Lengths*	1.71m ² Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	23
TAWNY OAK	36-YTO-150	£95/m ²	18mm	150 x Random Lengths*	1.98m ² Variable no.	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	23
SELECT OAK 	36-YBM-150	£125/m ²	18mm	150 x Random Lengths*	1.98m ² Variable no.	Select	B & M Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	24
ANTIQUE OAK 	36-YOA-150	£110/m ²	18mm	150 x Random Lengths*	1.71m ² Variable no.	Rustic	Lacquered	Tongue & Groove	Bevelled	Stuck down or nailed	Not Suitable	Hard	25








| * Planks come in random lengths

ENGINEERED WOOD
FLOORING





	CODE	PRICE (inc. vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
LYNTON													
SEAGRASS OAK	33-LYT-005	£69/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Rustic	B & M Lacquered	Easiloc	Micro- Bevelled	Floated	Suitable	Hard	31
CHIFFON OAK	33-LYT-006	£69/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Rustic	B & M Lacquered	Easiloc	Micro- Bevelled	Floated	Suitable	Hard	31
ESTUARY OAK	33-LYT-004	£69/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Rustic	B & M Lacquered	Easiloc	Micro- Bevelled	Floated	Suitable	Hard	32
NATURAL OAK	33-LYT-001	£69/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Rustic	B & M Lacquered	Easiloc	Micro- Bevelled	Floated	Suitable	Hard	32
EVENING OAK	33-LYT-003	£69/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Rustic	B & M Lacquered	Easiloc	Micro- Bevelled	Floated	Suitable	Hard	34
WEALD OAK	33-LYT-002	£69/m ²	7mm	165 x 1220mm	2.01m ² 10 planks	Rustic	B & M Lacquered	Easiloc	Micro- Bevelled	Floated	Suitable	Hard	34







	CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
SALCOMBE													
PEARL OAK	45-PLO-001	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	38
SEASHORE OAK	45-WDG-013	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	38
DUNE OAK	45-WGR-016	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	40
SANDORA OAK	45-SDO-001	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	40
NATURAL OAK	45-WGO-000	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	41
HEADLAND OAK	45-HDO-001	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	43
RIVIERO OAK	45-RVO-001	£75/m²	14mm 3mm wear	190 x 1900mm**	2.888m² 8 planks	Rustic	B & M Lacquered	Easiloc	Bevelled	Floated	Suitable	Hard	43
HARLECH													
WHITE OILED OAK	35-HWO-189	£98/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	46
ECRU OAK	35-HOE-001	£98/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	46
FEATHER OAK	35-HFF-002	£98/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	47
WHITE SMOKED OAK 190MM	35-HSW-001	£98/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
WHITE SMOKED OAK 240MM	35-HWS-240	£121/m²	15mm 4mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
RAW OAK 190MM	35-HRA-001	£98/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
RAW OAK 240MM	35-HRA-240	£121/m²	15mm 4mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	49
RUSTIC OAK OILED 150MM	35-HOC-148	£90/m²	15mm 4mm wear	150 x 1900mm**	1.71m² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
RUSTIC OAK OILED 190MM	35-HRO-001	£94/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
RUSTIC OAK OILED 240MM	35-HOR-240	£118/m²	15mm 4mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
RUSTIC OAK LACQUERED 150MM	35-HOB-001	£90/m²	15mm 4mm wear	150 x 1900mm**	1.71m² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
RUSTIC OAK LACQUERED 190MM	35-HBL-001	£94/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50
RUSTIC OAK LACQUERED 240MM	35-HRO-240	£118/m²	15mm 4mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	50














		CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
HARLECH CONTD.														
SMOKED OAK		35-HSO-001	£98/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	51
COFFEE OAK		35-HCO-001	£98/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	51
BISCOTTI OAK		35-HGO-002	£98/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	52
COGNAC OAK		35-HOC-190	£98/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	52
ESPRESSO OAK		35-HEO-001	£98/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	54
CHOCOLATE OAK		35-HCW-001	£98/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	55
STORMY OAK		35-HWG-001	£118/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	55
SELECT OAK OILED	◊L	35-HOO-005	£127/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Select	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	57
SELECT OAK LACQUERED	◊L	35-HOL-001	£127/m ²	15mm 4mm wear	190 x 1900mm**	2.166m ² 6 planks	Select	Matt Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	57
GOODRICH														
WHITENED OAK		32-GWH-001	£109/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	61
ECRU OAK		32-GEO-001	£109/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	62
FEATHER OAK		32-OGW-001	£113/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	65
RAW OAK		32-GRO-001	£113/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	65
WHITE SMOKED OAK		32-GWS-001	£113/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	66
NATURAL OAK		32-GNA-001	£100/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	66
SMOKED OAK		32-GFO-001	£113/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	69
BISCOTTI OAK		32-GGO-001	£113/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	69
COFFEE OAK		32-GCO-001	£109/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	71
ESPRESSO OAK		32-GCW-001	£113/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	71
RAW OAK CHEVRON	◊L	32-GRC-001	£133/m ²	15mm 4mm wear	90 x 400mm	1.296m ² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	72

		CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
GOODRICH CONTD.														
FEATHER OAK CHEVRON		32-CGR-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	73
SALTED OAK		32-SGR-001	£129/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	75
BARN OAK		32-GB0-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	75
CATHEDRAL OAK		32-GOC-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	76
SPICED OAK		32-GSO-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	76
FOUNDRY OAK		32-GMO-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Extra Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	78
CHARRED OAK		32-GCD-001	£133/m²	15mm 4mm wear	90 x 400mm	1.296m² 36 planks	Rustic	Hardwax Oil	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	78







HIGHCLERE														
FEATHER OAK		32-HFO-001	£118/m²	15mm 4mm wear	120 x 600mm	1.44m² 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
NATURAL OAK		32-HNO-001	£109/m²	15mm 4mm wear	120 x 600mm	1.44m² 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	82
COFFEE OAK		32-HCO-001	£118/m²	15mm 4mm wear	120 x 600mm	1.44m² 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	84
BISCOTTI OAK		32-HBO-001	£118/m²	15mm 4mm wear	120 x 600mm	1.44m² 20 planks	Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	84

CHEPSTOW														
RUSTIC OAK UNFINISHED		65-HMU-001	£121/m²	21mm 6mm wear	189 x 1860mm**	2.11m² 6 planks	Rustic	Unfinished	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	89
RUSTIC OAK LACQUERED		65-HML-001	£123/m²	21mm 6mm wear	189 x 1860mm**	2.11m² 6 planks	Rustic	Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	89
RUSTIC OAK BRUSHED AND OILED 189MM		65-HBO-001	£123/m²	21mm 6mm wear	189 x 1860mm**	2.11m² 6 planks	Rustic	Brushed & Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	89
RUSTIC OAK BRUSHED AND OILED 240MM		65-HBO-002	£143/m²	21mm 6mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	Brushed & Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	89
FLAXEN OAK		65-RAW-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	91
SHALE OAK		65-RFO-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	91
SILVERGLADE OAK		65-RWS-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	92
WASHED OAK 190MM		65-RWA-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	92

		CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	GRADE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
CHEPSTOW CONTD.														
WASHED OAK 240MM		65-RWA-002	£155/m²	21mm 6mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	92
ANTIQUE OAK 190MM		65-POA-001	£134/m²	21mm 6mm wear	190 x 1900mm**	2.166m² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	94
ANTIQUE OAK 240MM		65-POA-002	£152/m²	21mm 6mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	94
PLANED GREY OAK		65-POG-001	£134/m²	21mm 6mm wear	189 x 1860mm**	2.11m² 6 planks	Rustic	Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	95
DISTRESSED CHARCOAL OAK 190MM		65-AOC-001	£152/m²	21mm 6mm wear	190 x 1900mm**	1.444m² 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	95
DISTRESSED CHARCOAL OAK 240MM		65-AOC-002	£172/m²	21mm 6mm wear	240 x 2200mm**	2.11m² 4 planks	Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	95

BERKELEY														
WHITE OAK		38-BWO-005	£123/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	99
GREY OAK		38-BAG-001	£123/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	99
CALICO OAK		38-BCC-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	101
COTTAGE OAK		38-BDW-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	101
ARCHWAY OAK		38-BDB-001	£150/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	102
SMOKED OAK		38-BOS-003	£123/m²	15mm 4mm wear	190 x 1900mm**	2.166m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	102
CATHEDRAL OAK		38-BCD-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	103
CLASSIC WALNUT		38-BCV-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Rustic	Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	104
BURNT OAK		38-BOA-006	£123/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	B & M Lacquered	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	105
RUGGED OAK		38-BRO-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	106
PRIORY OAK		38-BPO-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	106
CHARTERHOUSE OAK		38-BOC-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	109
CELLAR OAK		38-BCO-001	£150/m²	15mm 4mm wear	190 x 1860mm**	2.11m² 6 planks	Extra Rustic	Hardwax Oiled	Tongue & Groove	Bevelled	Floated, stuck or nailed	Suitable if stuck down	Hard	109

DESIGN PANEL
FLOORING

		CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
DESIGN PANELS													
SANDRINGHAM LIMED OAK		44-DCP-001	£250/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	114
SANDRINGHAM ROYAL OAK		44-DCP-002	£250/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	114
SANDRINGHAM AGED OAK		44-DCP-003	£250/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & Groove	Multi Micro Bevel	Stuck down	Suitable if stuck down	Hard	114
HIGHGROVE LIMED OAK		44-DCP-010	£250/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	115
HIGHGROVE ROYAL OAK		44-DCP-011	£250/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	115
HIGHGROVE AGED OAK		44-DCP-012	£250/m ²	15mm	750 x 750mm	0.56m ² 1 panel	Hardwax Oil	Tongue & Groove	Perimeter Bevel Only	Stuck down	Suitable if stuck down	Hard	115

WOOD-DESIGN
FLOORING

	CODE	PRICE (inc vat)	THICKNESS	DIMENSIONS	PACK SIZE	FINISH	JOINT TYPE	EDGES	FITTING METHOD	UNDERFLOOR HEATING	HARDNESS	PAGE NUMBER
BRECON												
GLACIAL OAK	29-BRE-025	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	123
IVORY OAK	29-BRE-007	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	123
SEASHELL OAK	29-BRE-009	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	123
SEASHELL OAK HERRINGBONE	29-BRE-026	£53/m ²	6mm	120 x 600mm	1.44m ² 20 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	123
DOVE OAK	29-BRE-005	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	124
WAREHOUSE OAK	29-BRE-012	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	124
RIVER OAK	29-BRE-002	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	124
RIVER OAK HERRINGBONE	29-BRE-017	£53/m ²	6mm	120 x 600mm	1.44m ² 20 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	124
WHISPER OAK	29-BRE-011	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	125
WHISPER OAK HERRINGBONE	29-BRE-016	£53/m ²	6mm	120 x 600mm	1.44m ² 20 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	125
BARLEY OAK	29-BRE-006	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	126
FARM OAK	29-BRE-003	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	126
BLANCHE OAK	29-BRE-022	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	126
BLANCHE OAK HERRINGBONE	29-BRE-027	£53/m ²	6mm	120 x 600mm	1.44m ² 20 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	126
VINTAGE OAK	29-BRE-015	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	129
VINTAGE OAK HERRINGBONE	29-BRE-018	£53/m ²	6mm	120 x 600mm	1.44m ² 20 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	129
VALLEY OAK	29-BRE-014	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	129
BRACKEN OAK	29-BRE-024	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	129
HERITAGE OAK	29-BRE-023	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	130
WEATHERED OAK	29-BRE-021	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	130
SHORELINE OAK	29-BRE-020	£50/m ²	6mm	180 x 1220mm	2.2m ² 10 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	130
SHORELINE OAK HERRINGBONE	29-BRE-019	£53/m ²	6mm	120 x 600mm	1.44m ² 20 planks	Deep Matt Embossed	Easiloc	Micro-bevelled	Floated	Suitable	Hard	130



WOODPECKER FLOORING - TERMS & CONDITIONS OF SALE

In the unlikely event that goods are delivered wrong or damaged, it is the responsibility of the customer to ensure sufficient time is allowed for a replacement to be sent.

1. DEFINITIONS

In these terms and conditions, the following words shall have the following meanings:

"Buyer" shall mean any person, firm or company, to whom the Company supplies Goods or Services or with whom the Company enters into negotiations for the supply of Goods or Services.

"Company" shall mean Woodpecker Trading Co Ltd.

"Goods" shall mean products, articles or things which are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.

"Services" shall mean services are supplied by or which are the subject of negotiations for supply by the Company to the Buyer.

2. MAKING THE CONTRACT

2.1 The Company's salesmen are not authorised representatives and are not authorised to accept confirm or vary any order nor to make any representation or promise on the Company's behalf.

2.2 Any estimate/quotation which comprises an invitation to treat is open for a period of 30 days only from the date thereof, provided that the Company has not previously withdrawn it. Any order issued by the Buyer is subject to acceptance by the Company and a contract will only be formed when the Company has accepted the Buyer's offer to buy in writing. Any offer made by the Buyer must be confirmed in writing by the Buyer.

2.3 All orders are placed under these terms and conditions alone.

2.4 These terms and conditions exclude any other terms and conditions inconsistent therewith which a Buyer might seek to impose even though such other terms and conditions may be submitted in a later document and/or purport to exclude or supersede any terms or conditions with them or may be contained in any offer acceptance or counter-offer made by the Buyer.

2.5 All offers supplied by the Company must be fitted in accordance with BS8201 (2011).

2.6 No variation of these terms and conditions is permitted unless expressly accepted by a Director of the company in writing.

3. CANCELLATION

3.1 No cancellation by the Buyer is permitted except where expressly agreed by a Director of the Company in writing.

3.2 The Buyer will in the event of agreed cancellation by the Buyer indemnify the Company fully against all expenses incurred up to the time of such cancellation together with by way of liquidated damages a sum of 33 1/3% of the contract price which shall be paid by the Buyer to the Company forthwith.

4. PRICE

4.1 All prices quoted are those ruling at the date of dispatch or supply.

4.2 Unless otherwise stated all prices quoted are net, exclusive of VAT, and in the case of Goods ex works.

4.3 The Company reserves the right at any time prior to delivery of the Goods or supply of Services to adjust the price to take account of any increase in the cost of raw materials, labour or services or any currency fluctuations affecting the cost of imported materials or services.

5. TERMS OF PAYMENT

5.1 All sums become due and payable under these terms and conditions not later than 20th of the month following date of invoice.

5.2 Time for payment shall be of the essence.

5.3 The Company reserves the right to charge interest at 2.5 per centum per month on all overdue accounts, such interest being deemed to accrue on a day to day basis from the due date for payment under clause 5.1.

5.4 If the Buyer (being a Company) has a petition for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed or all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangement with its creditors or commits a material or serious breach of this Agreement (and in the case of such a breach being remediable fails to remedy it within 7 days of receiving notice to do so) he will be deemed to have repudiated the Contract.

5.5 The Company reserves the right at any time at its discretion to demand security for payment before continuing with or delivering any Order, supplying any Goods or Services.

5.6 The Buyer accepts that in the event of non-payment within the payment period the Company will resort to legal action to recover the debt in this instance a 20% surcharge will be added to the outstanding amount to cover administration and agents fees.

5.7 Where the Buyer is a company the directors agree to guarantee payment personally, both jointly and severally, of any outstanding amounts due in the event of their company being unable to meet its financial commitments or becoming insolvent.

6. DELIVERY

6.1 Delivery will be deemed to have been effected when the Goods are ready for collection at the premises of the Company or as the case may be the premises of the suppliers to the Company in circumstances where the Goods are delivered direct from such suppliers.

6.2 Time of delivery is not of the essence.

6.3 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its non-delivery or by the failure to make Goods ready for collection on the due date.

6.4 The Company reserves the right to make delivery by instalments and to tender a separate invoice in respect of each instalment.

6.5 When delivery is to be by instalments or the Company exercises its right to deliver by instalments under clause 6.4 hereof or if there be delay in the delivery of any one or more instalments

for whatever reason this will not entitle the Buyer to treat the contract as repudiated and/or to damages.

6.6 Deviations in quantity between the Goods delivered and Goods ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Goods or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Goods delivered.

7. SUPPLY OF SERVICES

7.1 Time for the supply of Services is not of the essence.

7.2 The Company shall not be liable for any loss whatsoever or howsoever arising caused by its failure to supply Services or any part thereof on the due date.

7.3 The Company reserves the right to supply Services by instalments and to tender a separate invoice in respect of each instalment.

7.4 When the supply of Services is to be by instalments or the firm exercises its right to supply Services by instalments under clause 7.3 hereof or if there be a delay in the supply of any one or more instalments of Services for whatever reason this will not entitle the Buyer to treat the contract as repudiated or to damages.

7.5 Deviation in the quantity between Services supplied and the Services ordered representing not more than 10 per cent by value shall not give the Buyer any right to reject the Services or to claim damages and the Buyer shall be obliged to accept and pay at the contract rate for the quantity of the Services supplied.

8. RISK AND THE PASSING OF PROPERTY IN GOODS

8.1 Risk in the Goods shall pass to the Buyer when the Goods are delivered.

8.2 Notwithstanding risk in the Goods passing in accordance with clause 8.1 hereof title in the Goods shall not pass to the Buyer until whichever shall be the first to occur of the following:-

8.2.1 Payment being received by the Company for the Goods and Services and no other amounts then being outstanding from the Buyer to the Company in respect of other Goods or Services supplied by the Company

8.2.2 The Buyer selling the Goods in accordance with the provisions of these terms and conditions in which case title to the Goods shall be deemed to have passed to the Buyer immediately prior to delivery of the Goods to the Buyer's customers; and

8.2.3 The Company waiving its rights under this clause 8.2 in respect of specified Goods or Services whereupon title to the said Goods shall forthwith vest in the Buyer.

8.3 The Buyer is licensed by the Company to use or to agree to sell the Goods delivered to the Buyer subject to the express condition that the entire proceeds of any sale are held in trust for the Company and are not mixed with other moneys or paid into an overdrawn bank account and shall at all times be identifiable as the Company's moneys.

8.4 Until title to the Goods passes:

8.4.1 The Buyer will hold the Goods as fiduciary agent and Bailee for the Company;

8.4.2 The Goods shall, subject to clause 8.3, be kept separate and distinct from all other property of the Buyer and of third parties and in good and substantial repair and condition and be stored in such a way as to be clearly identifiable as belonging to the Company;

8.4.3 The Company may at any time revoke the power of sale and use contained in clause 8.3 by notice to the Buyer if the Buyer is in default beyond the 20th of the month following invoice in the payment of any sum whatsoever due to the Company (whether in respect of the Goods or any other Goods or Services supplied at any time by it to the Buyer) or if the Company has bona fide doubts as to the solvency of the Buyer;

8.4.4 The Buyer's power of sale and use contained in clause 8.3 shall automatically cease if the Buyer has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceeding under foreign law; 8.4.5 upon determination of the Buyer's power of sale and use pursuant to clause 8.4.3 or clause 8.4.4. The Buyer shall place any of the Goods in its possession or under its control and unsold at the disposal of the Company and the Company shall be entitled to enter upon any premises of the Buyer for the purpose of removing such Goods.

8.5 The Company shall at any time be entitled to appropriate any payments made by the Buyer in respect of any Goods or Services in settlement of such invoices or accounts in respect of such Goods or Services as the Company may in its absolute discretion think fit notwithstanding any purported appropriation to the contrary by the Buyer.

9. LIEN AND STOPPAGE

9.1 Until such time as the title in the Goods has passed to the Buyer the Company has the right to withhold delivery if the Buyer (being a Company) has a petition presented for its winding-up or passes a resolution for voluntary winding-up otherwise than for the purpose of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law; 9.2 When the title in the Goods has passed to the Buyer and the time for payment has fallen due but payment has not been made or if the Buyer (being a Company) has a petition presented for its

winding-up or passes a resolution for voluntary winding-up otherwise than for the purposes of a bona fide amalgamation or reconstruction or compounds with its creditors or has a receiver appointed of all or any part of its assets or (being an individual) becomes bankrupt or insolvent or enters into any arrangements with creditors or takes or suffers any similar action in consequence of debts or carries out or undergoes any analogous act or proceedings under foreign law the Company has

9.2.1 A lien on the Goods as long as the Company is in possession of them

9.2.2 A right of stoppage in transit

9.2.3 A right of resale

9.3 For the avoidance of doubt it is hereby declared that nothing in this clause shall affect the rights given to the Company by ss.38-48 of the Sale of Goods Act 1979.

10. INSPECTION/SHORTAGES

10.1 The Buyer is under a duty to inspect the Goods forthwith on delivery and satisfy himself as to the due performance of Services forthwith after supply.

10.2 The Company shall be under no liability for any defects or shortages that would be apparent on a careful inspection if the terms of this clause are not complied with, and, in any event will be under no liability if a written complaint is not delivered to the Company within 7 days of delivery or supply detailing the alleged defect or shortage.

10.3 In all cases where defects or shortages in respect of Goods are complained of the Company shall be under no liability in respect thereof unless an opportunity to inspect the Goods is given to the Company before any use is made thereof or any alteration or modification is made thereto by the Buyer.

10.4 Subject to clauses 10.2 and 10.3 the Company shall make good any defect or shortage in the Goods and where appropriate supplied as would but for this condition entitle the Buyer to be able to do so, but otherwise shall be under no liability whatsoever or howsoever arising from such defect, shortage or damage.

10.5 Subject to clause 10.4 the Company shall remedy any defect in the supply of Services as soon as it is reasonably able to do so but otherwise shall be under no liability whatsoever or howsoever arising from such defect

11. WARRANTY

11.1 The Buyer shall satisfy himself of the suitability of the Goods or Services for any particular use or purpose and shall be totally responsible

11.2 If the Goods are in such a state or the Services so defectively supplied as would but for this condition entitle the Buyer to repudiate the contract and/or claim damages from the Company the Company reserves the right to repair or replace the Good or perform the Service (or relevant part thereof) again.

12. LIABILITY

12.1 Introduction

12.1.1 Nothing in clause 12 shall be deemed to exclude or restrict the Company's liability for death or personal injury resulting from negligence.

12.1.2 Each of the sub-clauses in clause 12 is to be treated as separate and independent

12.1.3 The Company is willing to undertake liability additional to that provided by this clause in exchange for a higher price

12.2 Exclusion

12.2.1 Clause 12.2.1 only covers defects caused by faulty design, manufacture, materials or workmanship. It does not cover defects caused by abnormal use, misuse or neglect.

12.2.2 The Company agrees that if any defect covered by clause 12.2 is discovered during the warranty period commencing with the date of delivery or supply, the Company will remedy any defect at its own expense or, in the case of Goods if it chooses to do so, replace them.

12.2.3 The Buyer cannot claim the benefit of this clause unless - he informs the Company of the relevant defect in writing within 7 working days of discovering it.

12.2.3a The Company will not accept any liability for defects in goods once they have been fitted. It is the Buyer's responsibility to check the Goods prior to installation.

12.2.4 The risk of accidental loss whilst the Goods are being returned will be borne by the Buyer

12.2.5 In consideration for receiving the benefit of this clause, the Buyer agrees that, apart from those terms set out in clause 10 and 11, all other terms, whether conditions, warranties or innominate terms, express or implied, statutory or otherwise, are excluded from the contract between the Company and the Buyer to the extent permitted by law (except where the Buyer deals as consumer under section 12 of the Unfair Contract Terms Act 1977 when the terms implied by sections 13, 14 and 15 of the Sale of Goods Act 1979 shall be implied into the contract).

12.3 Exclusion of Consequential Loss.

The Company shall not be liable for any consequential or indirect loss suffered by the Buyer whether this loss arises from breach of a duty in contract or tort or in any other way (including loss arising from the Company's negligence).

Non-exhaustive illustrations of consequential or indirect loss would be

- Loss of profits
- Loss of contracts
- Damage to property of the Buyer or anyone else, and
- Personal injury to the Buyer or anyone else (except so far as such injury is attributable to the Company's negligence)

12.4 Limitation

The Company's total liability for any one claim or for the total of all claims arising from any one claim or default of the Company (whether arising from the Company's negligence or otherwise) shall not exceed £1000 Or the contract price whichever is the greater.

13. FORCE MAJEURE

13.1 The Company shall not be liable for any failure to deliver the Goods or perform the Services arising from circumstances outside the Company's control.

13.2 Non-exhaustive illustrations of such circumstances would be act of God, war, riot, explosion, abnormal weather conditions, fire, flood, strikes, lockouts, Government action or regulations (UK or otherwise), delay by suppliers, accidents and shortage of materials, labour or manufacturing facilities.

13.3 Should the Company be prevented from delivering the Goods or performing the Services in the above circumstances, it shall give the Buyer written notice of this fact as soon as reasonably practicable after discovering it.

13.4 If the circumstances preventing delivery of the Goods or performing the Services are still continuing three months after the Buyer receives the Company's notice, then either party may give written notice to the other cancelling the contract.

13.5 If the contract is cancelled in this way, the Company will refund any payment which the Buyer has already made on account of the price (subject to deduction of any amount the Company is entitled to claim from the Buyer) but the Company will not be liable to compensate the Buyer for any further loss or damage caused by the failure to deliver the Goods or perform the Services.

14. SALES PROMOTION DOCUMENTATION

Whilst the Company takes every precaution in the preparation of its catalogue, technical circulars, price lists and its other literature, these documents are for the Buyer's general guidance only and the particulars contained therein shall not constitute representations by the Company and the Company shall not be bound thereby.

15. NOTICES

Any notice to be given hereunder shall be in writing and shall be deemed to have been duly given if sent or delivered to the party concerned at its address specified overleaf or such other address as that party may from time to time notify in writing and shall be deemed to have been served, if sent by post, 48 hours after posting.

16. CANCELLATION

The Company is prepared to accept the cancellation of a contract provided that it is in writing and is received by the Company:

- (a) In the case of special orders before the manufacture of the goods has commenced;
- (b) In the case of goods ordered from stock before the goods have been despatched;
- (c) But subject to liability for any losses incurred by the Company in disposing of the goods;
- (d) In the event goods have been delivered within 30 days prior to cancellation, a restocking charge of 20% of the goods returned will be made by the company on values above £50 before VAT only.

17. MATCHING

For technical reasons it is not always possible to obtain an exact colour match between different production batches which have the same colour description. The Company therefore recommends that all products should be of the same batch. The Company will be under no liability whatsoever in respect of any mismatching of tiles and sheet with the same colour description where the tiles and sheet are of different batches.

18. ADVICE AND WARNINGS

(a) Without prejudice to any of the Company's rights under these terms or common law or statute the Company shall not be liable for any loss or damage suffered by the Buyer or any third party as a result of failure to follow any of the Company's recommendations with regard to the goods.

19. STILETTO HEELS

Where Stiletto heeled shoes are in use, floors are liable to suffer damage from intense point loading pressure. We therefore cannot be held responsible for any loss in appearance where such heels are in use.

20. SUITABILITY OF GOODS

If requested in writing to do so, we will use our utmost endeavours to give sound and honest advice as to the suitability of goods sold by us for a particular use or purpose, but we do not represent or warrant (and nobody has authority to represent or warrant) the fitness of any goods for any particular purpose or use, whether such use or purpose is known to us or not or any advice requested regarding installation.

21. ASSIGNMENT

The Buyer shall not assign or purport to assign or transfer the contract or the benefits thereof to any other person without prior written consent of the other.

22. PROPER LAW AND JURISDICTION

The Contract shall be governed by and construed in accordance with English law and all disputes arising in connection with the contract shall be submitted to the jurisdiction of the English Courts.

23. HEADINGS

The headings of these conditions are for convenience only and shall have no effect on the interpretation thereof.

Revision Date: September 2020

Woodpecker Flooring, Caerphilly CF83 8DR

Tel: 02920 888223

Woodpecker Flooring reserves the right to update and amend these terms and conditions without notice.

PHOTOGRAPHY PROP CREDITS

(Harlech, Feather Oak)
Rustic bench – www.thefigstore.com

(Design Panels, Sandringham Royal Oak)
Painting – www.gallerybr.co.uk

(Design Panels, Sandringham Aged Oak)
Paintings – danhobday.com

(Goodrich, Smoked Oak)
Paintings, olive oil jars, wire basket – www.annefowler.co.uk

(Goodrich, Smoked Oak)
School chairs – www.lowlandsbristol.com

(Goodrich, Natural Oak)
Sheepskin footstool – www.gallerybr.co.uk

(Goodrich, Biscotti Oak)
Robin Day sideboard – www.orangeandbrown.co.uk

(Berkeley, Calico Oak)
Art work, Wooden African bowl – www.huttdecor.com

(Berkeley, Charterhouse Oak)
Wooden bowls – www.huttdecor.com
Pit fired vessels, lamp base – www.thecornishpotter.com

(Goodrich, Ecrú Oak)
Art work – www.huttdecor.com
Pots, plates, bowls – www.lilyantiques.co.uk

(Goodrich, Raw Oak Chevron)
Art work by Masako Tobita – www.cliftoncontemporaryart.co.uk

(Harlech, Rustic Oak)
Glass, perspex coffee table – www.huttdecor.com

(Highclere, Biscotti Oak)
Rustic bench – www.huttdecor.com

(Highclere, Natural Oak)
Suede sofa – www.huttdecor.com

(Design Panels, Highgrove Lined Oak)
Calvados bottles – www.annefowler.co.uk

(York, Rustic Oak)
Art work by Andrew Bird – www.cliftoncontemporaryart.co.uk

(Harlech, Ecrú Oak)
(Goodrich, Spiced Oak)
Radiators – www.reclaimedradiators.co.uk

PLEASE HELP US CARE FOR
THE ENVIRONMENT BY
SHARING OR RECYCLING
THIS WHEN YOU ARE DONE



WOODPECKER

NATURALLY INSPIRED FLOORING

Woodpecker House,
26 Pant Glas Industrial Estate,
Bedwas, Caerphilly
CF83 8DR

T: 02920 888 223
F: 02920 881 694

info@woodpeckerflooring.co.uk
www.woodpeckerflooring.co.uk

Woodpecker Flooring
1436 South Director St.
Seattle
WA 98108

T: 206 929-5029

www.woodpeckerflooring.com

For the latest
and up to date
information,
scan below.

